

neenah™ blotter papers | soak it up.

PRODUCTION TIPS:

The following suggestions will help you achieve maximum performance on Blotter Papers by Neenah Paper.

Offset Printing

- 100% solid, oxidizing inks are recommended. Smaller lifts (approx. 4") alleviate potential set off. Allow ink to dry overnight before performing post-press operations.
- Low-tack inks and minimum cylinder pressure are recommended.
- Due to the soft nature of the stock you may need to apply additional squeeze. Previous results indicate a squeeze of .006 below the stock caliper (i.e. 17 pt. squeezed to .011, etc.)
- You can expect higher than normal ink and fountain settings. We recommend that the screen ruling not exceed 150 lpi. and recommend using 52 micron coated spray powder. The stock may feed better if gripped grain long.
- Printable Blotter is designed with minimal absorbency for printing, including offset lithography. Screen size should not exceed 150 dpi. Large area solids may appear uneven due to the toothy nature of the sheet. Offset lithography is not recommended on the Absorbent Blotter.

Screen Printing

- Standard solvent inks are recommended. They can be applied at a thicker consistency and are thus more opaque. UV curing inks are not recommended for absorbent uncoated stocks.

Dampening

- Minimum dampening should be used.

Foil Stamping

- Copper or brass dies are recommended. Metallic foils (verses pigments) are recommended for the Printable Blotter and pigment for the Absorbent Blotter. Consult your foil supplier for best results.

Scoring and Folding

- NEENAH™ Blotter Papers score and fold well in both directions and have excellent hinge characteristics. A 2 pt. channel rule is recommended for the 12 pt. weight. A 3 pt. channel rule is recommended for the 17 and 20.5 pt and 24 pt. weights.

Embossing

- The soft, elegant nature of NEENAH Blotter Papers takes well to both single and multi-level embossing.

Die-Cutting

- NEENAH Blotter Papers are an ideal material to die-cut.

Gluing

- NEENAH Blotter Papers are receptive to most common types of adhesives.

NEENAH™ BLOTTER PAPERS STOCKING SIZES

| | SIZES | WEIGHTS | | |
|----------------------|---------|-----------------------------------|-----------------------------------|-----------------------------------|
| PRINTABLE BLOTTER | 19 x 24 | 12 pt. | 17 pt. | 24 pt. |
| | 26 x 40 | 12 pt. 189 (g/m ²) | 17 pt. 270 (g/m ²) | 24 pt. 427 (g/m ²) |
| ABSORBENT BLOTTER | 19 x 24 | | 20.5 | |
| | 38 x 24 | | 20.5 287 (g/m ²) | |
