

# **N** classic<sup>®</sup> canvas papers

The latest addition to the CLASSIC<sup>®</sup> Papers family, CLASSIC<sup>®</sup> Canvas Papers emulate the textured surface of an artist's canvas. Gripping and inspiring, the Canvas finish is equally appropriate for the extraordinary and the everyday.

## **Features**

## **Benefits**

---

Unique, textured finish.

Reminiscent of an artist's canvas, pairs beautifully with your design and makes an impression with its distinctive texture.

---

Available in Solar White.

An iconic shade in the CLASSIC<sup>®</sup> family, perfect for any and all print projects.

---

Entire offering is FSC<sup>®</sup> Certified.

Meets the mark of responsible forestry.

---

Manufactured acid free with archival properties.

Permanence for an impact that lasts.

---

Matching envelopes.

An impressive array of 33 styles in Solar White with a texture that grabs attention in the mailbox.

# N classic<sup>®</sup> canvas papers

## Paper Specifications - CLASSIC<sup>®</sup> Canvas Papers

Finish	Basis lbs.	Basis g/m <sup>2</sup>	Opacity	Caliper	Smoothness
Canvas	80T	118	95	7.3	N/A
	80C	216	98	12.5	N/A
	100C	270	99	14.5	N/A
	130DTC	352	99	18	N/A

- Opacity specifications are for whites and near whites.
- Caliper values are approximate as grades run to basis weight and finish.
- Smoothness is in Sheffield units.

## Special Make Minimums

### Standard Minimums

COLOR	BASIS WEIGHT (Standard Colors)	SIZE
15,000 lbs	10,000 lbs	5,000 lbs

- \* Special colors and finishes are subject to inquiry and mill acceptance.
- \* Laminated sheets using standard basis weights and colors require 10,000 lbs total minimum with an upcharge.

# classic<sup>®</sup> canvas papers

Basis/ Caliper	Size	Item #	M wt	Product Type	Shts/ Pack	Shts/ Ctn	Ctns/ Pallet
<b>Solar White (97 Brightness) FSC<sup>®</sup></b>							
FSC Mix Canvas							
80T / 7.3pt	25x38	<b>33753</b>	160	Sheet		750	20
80C / 12.5pt	26x40	<b>33754</b>	320	Sheet		300	24
100C / 14.5pt	26x40	<b>33755</b>	400	Sheet		200	20
130DTC / 18pt	26x40	<b>33758</b>	520	Sheet		200	20

Key **FSC<sup>®</sup>** – FSC<sup>®</sup> Certified  – Renewable Electricity  – Green Seal Certified **PCF** – Processed Chlorine Free  
 – Minimum 30% Post Consumer **DC** – Duplex Cover **DTC** – Double Thick Cover **SP** – Skid Packed  
**WS** – Wet Strength **BR** – Vellum Bristol **IND** – Index \* – Unwatermarked



# classic<sup>®</sup> canvas envelopes

Basis	Product Type	Item #	Env/ Box	Env/ Ctn
<b>Solar White (97 Brightness) FSC<sup>®</sup></b>				
FSC Mix Canvas				
80T	#10 Commercial	<b>8100000</b>	500	2,500
80T	#10 Square	<b>8100100</b>	500	2,500
80T	#10 peel and seal	<b>8102700</b>	500	2,500
80T	#10 Poly Window	<b>8100200</b>	500	2,500
80T	#10 Commercial Canadian Window	<b>8102600</b>	500	2,500
80T	#10 Policy	<b>8102500</b>	500	2,500
80T	#9 Commercial	<b>8101700</b>	500	2,500
80T	#6 3/4	<b>8100300</b>	400	2,000
80T	DL International	<b>8101400</b>	150	600
80T	Monarch	<b>8100400</b>	400	2,000
80T	A1	<b>8102900</b>	250	2,500
80T	A2	<b>8100500</b>	250	1,000
80T	A6	<b>8100600</b>	250	1,000
80T	A7	<b>8100700</b>	250	1,000
80T	A8	<b>8100800</b>	250	1,000
80T	A9	<b>8101600</b>	250	1,000
80T	A10	<b>8100900</b>	250	1,000
80T	4 Baronial	<b>8101000</b>	250	2,500
80T	5 1/2 Baronial	<b>8101100</b>	250	2,500
80T	6 Baronial	<b>8101200</b>	250	2,500
80T	Lee	<b>8101300</b>	250	2,500
80T	5 x 5	<b>8102400</b>	250	1,000
80T	5 1/2 x 5 1/2	<b>8103200</b>	250	1,000
80T	6 x 6	<b>8102200</b>	250	1,000
80T	6 1/2 x 6 1/2	<b>8102300</b>	250	1,000
80T	7 x 7	<b>8102000</b>	250	1,000
80T	7 1/2 x 7 1/2	<b>8102100</b>	250	1,000
80T	8 x 8	<b>8101800</b>	250	1,000
80T	8 1/2 x 8 1/2	<b>8101900</b>	250	1,000
80T	9 x 12 Booklet	<b>8103100</b>	500	500
80T	9 x 12 Catalog	<b>8102800</b>	500	500
80T	10 x 13 Booklet	<b>8101500</b>	500	500
80T	10 x 13 Catalog	<b>8103000</b>	500	500

Key **FSC<sup>®</sup>** – FSC<sup>®</sup> Certified  – Renewable Electricity  – Green Seal Certified **PCF** – Processed Chlorine Free  
 – Minimum 30% Post Consumer **DC** – Duplex Cover **DTC** – Double Thick Cover **SP** – Skid Packed  
**WS** – Wet Strength **BR** – Vellum Bristol **IND** – Index \* – Unwatermarked

