

N classic[®] laid papers

A commitment to the art of papermaking creates the unique texture and printing performance that makes CLASSIC[®] Laid Papers unlike any others.

Features

Benefits


Hand crafted whites and colors	Beautiful bright whites with complementary colors for impactful communication packages.
Unique Laid texture reminiscent of handmade paper	Combines authenticity, craftsmanship and printability to create a beautifully watermarked paper that truly performs.
Imaging Laid finish in Writing weight	A subtler laid finish offers a refined look and feel to your letterhead correspondence.
Entire offering is FSC [®] Certified.	Meets the mark of responsible forestry.
Manufactured acid free with archival properties.	Permanence
Digital Platform: whites and colors	Our universal digital finish is compatible with all digital presses. For guarantee & certification details go to neenahpaper.com/digital .
Laser & Ink Jet Guaranteed.	Writing weights are guaranteed in laser, ink jet, color printer and high speed copier applications.
Matching envelopes starting at simply 1 box.	An impressive range of 33 styles in all writing and text weight colors complete any communication package.

N classic[®] laid papers

Paper Specifications - CLASSIC[®] Laid Papers

Finish	Basis lbs.	Basis g/m ²	Opacity	Caliper	Smoothness
Imaging	24W	90	90	5	N/A
Laid	80C	216	98	13.5	N/A
	100DTC	270	99	16	N/A
	120DTC	324	99	19	N/A
Laid Digital	80C	216	98	13.5	N/A
	100DTC	270	99	16	N/A

- Opacity specifications are for whites and near whites.
- Caliper values are approximate as grades run to basis weight and finish.
- Smoothness is in Sheffield units.



NOTE: Laid lines (shorter rib-lines) run cross grain.
Chain lines (long column-like lines) run parallel to the grain direction.

Special Make Minimums

Standard Minimums

COLOR	BASIS WEIGHT (Standard Colors)	SIZE
15,000 lbs.	10,000 lbs.	5,000 lbs.

- * Special colors are subject to inquiry and mill acceptance.
- * Laminated sheets using standard basis weights and colors require 10,000 lbs total minimum with a \$30.00 per cwt upcharge.

classic[®] laid papers

Basis/ Caliper	Size	Item #	M wt	Product Type	Shts/ Pack	Shts/ Ctn	Ctns/ Pallet
Antique Gray FSC[®]							
FSC Mix Imaging							
24W / 5pt	8.5x11	06561	12	Sheet	500	5,000	32
24W / 5pt	34x28	06568	122	Sheet		1,000	10
24W / 5pt	35x23	06566	103	Sheet		1,000	18
Antique Gray fsc[®]							
FSC Mix Laid							
80C / 13.5pt	8.5x11	04092	28.76	Sheet	250	2,000	32
80C / 13.5pt	26x40	62454	320	Sheet		300	22
80C / 13.5pt	35x23	54451	248	Sheet		500	14
Antique Gray FSC[®]							
FSC Mix Laid Digital							
80C / 13.5pt	18x12	45018	66.46	Sheet	250	500	32
Avalanche White (99+ Brightness) FSC[®]							
FSC Mix Imaging							
24W / 5pt	8.5x11	06701	12	Sheet	500	5,000	32
24W / 5pt	35x23	06702	103	Sheet		1,000	18
Avalanche White (99+ Brightness) FSC[®]							
FSC Mix Laid							
80C / 13.5pt	26x40	54238	320	Sheet		300	22
100DTC / 16pt	26x40	16035	400	Sheet		200	22
120DTC / 19pt	26x40	03960	480	Sheet		200	22
Avalanche White (99+ Brightness) FSC[®]							
FSC Mix Laid Digital							
100DTC / 16pt	18x12	16034	83.06	Sheet	125	500	32
Avon Brilliant White (93 Brightness) FSC[®]							
FSC Mix Imaging							
24W / 5pt	8.5x11	06511	12	Sheet	500	5,000	32
24W / 5pt	34x28	06518	122	Sheet		1,000	10
24W / 5pt	35x23	06516	103	Sheet		1,000	18
Avon Brilliant White (93 Brightness) FSC[®]							
FSC Mix Laid							
80C / 13.5pt	8.5x11	04031	28.76	Sheet	250	2,000	32
80C / 13.5pt	26x40	62428	320	Sheet		300	22
80C / 13.5pt	35x23	54424	248	Sheet		500	14
100DTC / 16pt	26x40	16042	400	Sheet		200	22

Key **FSC[®]** – FSC[®] Certified  – Renewable Electricity  – Green Seal Certified **PCF** – Processed Chlorine Free
 – Minimum 30% Post Consumer **DC** – Duplex Cover **DTC** – Double Thick Cover **SP** – Skid Packed
WS – Wet Strength **BR** – Vellum Bristol **IND** – Index * – Unwatermarked



classic[®] laid papers

Basis/ Caliper	Size	Item #	M wt	Product Type	Shts/ Pack	Shts/ Ctn	Ctns/ Pallet
Avon Brilliant White (93 Brightness) FSC[®]							
FSC Mix Laid Digital							
100DTC / 16pt	18x12	16041	83.06	Sheet	125	500	32
Baronial Ivory FSC[®]							
FSC Mix Imaging							
24W / 5pt	8.5x11	06551	12	Sheet	500	5,000	32
24W / 5pt	34x28	06558	122	Sheet		1,000	10
24W / 5pt	35x23	06559	103	Sheet		1,000	18
Baronial Ivory FSC[®]							
FSC Mix Laid							
80C / 13.5pt	8.5x11	03931	28.76	Sheet	250	2,000	32
80C / 13.5pt	26x40	62440	320	Sheet		300	22
80C / 13.5pt	35x23	54441	248	Sheet		500	14
Classic Natural White FSC[®]							
FSC Mix Imaging							
24W / 5pt	8.5x11	06531	12	Sheet	500	5,000	32
24W / 5pt	34x28	06538	122	Sheet		1,000	10
24W / 5pt	35x23	06536	103	Sheet		1,000	18
Classic Natural White FSC[®]							
FSC Mix Laid							
80C / 13.5pt	8.5x11	04071	28.76	Sheet	250	2,000	32
80C / 13.5pt	26x40	62420	320	Sheet		300	22
80C / 13.5pt	35x23	54422	248	Sheet		500	14
100DTC / 16pt	26x40	16054	400	Sheet		200	22
120DTC / 19pt	26x40	03987	480	Sheet		200	22
Classic Natural White FSC[®]							
FSC Mix Laid Digital							
80C / 13.5pt	18x12	45017	66.46	Sheet	250	500	32
100DTC / 16pt	18x12	16053	83.06	Sheet	125	500	32
Solar White (97 Brightness) FSC[®]							
FSC Mix Imaging							
24W / 5pt	8.5x11	06571	12	Sheet	500	5,000	32
24W / 5pt	34x28	06578	122	Sheet		1,000	10
24W / 5pt	35x23	06576	103	Sheet		1,000	18
Solar White (97 Brightness) FSC[®]							
FSC Mix Laid							
80C / 13.5pt	8.5x11	03983	28.76	Sheet	250	2,000	32

Key **FSC[®]** – FSC[®] Certified  – Renewable Electricity  – Green Seal Certified **PCF** – Processed Chlorine Free
 – Minimum 30% Post Consumer **DC** – Duplex Cover **DTC** – Double Thick Cover **SP** – Skid Packed
WS – Wet Strength **BR** – Vellum Bristol **IND** – Index * – Unwatermarked



classic[®] laid papers

Basis/ Caliper	Size	Item #	M wt	Product Type	Shts/ Pack	Shts/ Ctn	Ctns/ Pallet
Solar White (97 Brightness) FSC[®]							
FSC Mix							
Laid							
80C / 13.5pt	26x40	62460	320	Sheet		300	22
80C / 13.5pt	35x23	54459	248	Sheet		500	14
100DTC / 16pt	26x40	16078	400	Sheet		200	22
120DTC / 19pt	26x40	03986	480	Sheet		200	22
Solar White (97 Brightness) FSC[®]							
FSC Mix							
Laid Digital							
80C / 13.5pt	18x12	45054	66.46	Sheet	250	500	32
100DTC / 16pt	18x12	16077	83.06	Sheet	125	500	32

Key **FSC[®]** – FSC[®] Certified  – Renewable Electricity  – Green Seal Certified **PCF** – Processed Chlorine Free
 – Minimum 30% Post Consumer **DC** – Duplex Cover **DTC** – Double Thick Cover **SP** – Skid Packed
WS – Wet Strength **BR** – Vellum Bristol **IND** – Index * – Unwatermarked



classic[®] laid envelopes

Basis	Product Type	Item #	Env/ Box	Env/ Ctn
Antique Gray fsc[®]				
FSC Mix Imaging				
24W	#10 Commercial	2174900	500	2,500
24W	#10 Square	7005900	500	2,500
24W	#10 peel and seal	4158900	500	2,500
24W	#10 Poly Window	1580500	500	2,500
24W	#10 Commercial Canadian Window	8002857	500	2,500
24W	#10 Policy	7073200	500	2,500
24W	#9 Commercial	0077900	500	2,500
24W	#6 3/4	2137600	500	2,500
24W	DL International	8002852	150	600
24W	Monarch	2148300	500	2,500
24W	A1	7132500	250	2,500
24W	A2	7155900	250	1,000
24W	A6	7179500	250	1,000
24W	A7	7205800	250	1,000
24W	A8	7229500	250	1,000
24W	A9	7257800	250	1,000
24W	A10	7317000	250	1,000
24W	4 Baronial	8002853	250	2,500
24W	5 1/2 Baronial	8002854	250	2,500
24W	6 Baronial	8002855	250	2,500
24W	Lee	8002856	250	2,500
24W	5 x 5	8002859	250	1,000
24W	5 1/2 x 5 1/2	8002858	250	1,000
24W	6 x 6	8002861	250	1,000
24W	6 1/2 x 6 1/2	8002860	250	1,000
24W	7 x 7	8002863	250	1,000
24W	7 1/2 x 7 1/2	8002862	250	1,000
24W	8 x 8	8002865	250	1,000
24W	8 1/2 x 8 1/2	8002864	250	1,000
24W	9 x 12 Booklet	7607400	500	500
24W	9 x 12 Catalog	7633000	500	500
24W	10 x 13 Booklet	7664000	500	500
24W	10 x 13 Catalog	7723900	500	500
Avalanche White (99+ Brightness) fsc[®]				
FSC Mix Imaging				
24W	#10 Commercial	4603400	500	2,500
24W	#10 Square	7006100	500	2,500
24W	#10 peel and seal	7028000	500	2,500
24W	#10 Poly Window	5426000	500	2,500

Key **FSC[®]** – FSC[®] Certified  – Renewable Electricity  – Green Seal Certified **PCF** – Processed Chlorine Free
 – Minimum 30% Post Consumer **DC** – Duplex Cover **DTC** – Double Thick Cover **SP** – Skid Packed
WS – Wet Strength **BR** – Vellum Bristol **IND** – Index * – Unwatermarked



classic[®] laid envelopes

Basis	Product Type	Item #	Env/ Box	Env/ Ctn
Avalanche White (99+ Brightness) FSC[®]				
FSC Mix Imaging				
24W	#10 Commercial Canadian Window	8002899	500	2,500
24W	#10 Policy	7073400	500	2,500
24W	#9 Commercial	5133100	500	2,500
24W	#6 3/4	4603200	500	2,500
24W	DL International	8002894	150	600
24W	Monarch	4603300	500	2,500
24W	A1	7132700	250	2,500
24W	A2	7156100	250	1,000
24W	A6	7179700	250	1,000
24W	A7	7206000	250	1,000
24W	A8	7229700	250	1,000
24W	A9	7258000	250	1,000
24W	A10	7317200	250	1,000
24W	4 Baronial	8002895	250	2,500
24W	5 1/2 Baronial	8002896	250	2,500
24W	6 Baronial	8002897	250	2,500
24W	Lee	8002898	250	2,500
24W	5 x 5	8002902	250	1,000
24W	5 1/2 x 5 1/2	8002901	250	1,000
24W	6 x 6	8002904	250	1,000
24W	6 1/2 x 6 1/2	8002903	250	1,000
24W	7 x 7	8002906	250	1,000
24W	7 1/2 x 7 1/2	8002905	250	1,000
24W	8 x 8	8002908	250	1,000
24W	8 1/2 x 8 1/2	8002907	250	1,000
24W	9 x 12 Booklet	7607600	500	500
24W	9 x 12 Catalog	7633200	500	500
24W	10 x 13 Booklet	7664300	500	500
24W	10 x 13 Catalog	7724200	500	500
Avon Brilliant White (93 Brightness) FSC[®]				
FSC Mix Imaging				
24W	#10 Commercial	2152500	500	2,500
24W	#10 Square	7006300	500	2,500
24W	#10 peel and seal	1206500	500	2,500
24W	#10 Poly Window	3010700	500	2,500
24W	#10 Commercial Canadian Window	7800600	500	2,500
24W	#10 Policy	7073600	500	2,500
24W	#9 Commercial	0857800	500	2,500
24W	#6 3/4	2124400	500	2,500
24W	DL International	8002936	150	600

Key **FSC[®]** – FSC[®] Certified  – Renewable Electricity  – Green Seal Certified **PCF** – Processed Chlorine Free
 – Minimum 30% Post Consumer **DC** – Duplex Cover **DTC** – Double Thick Cover **SP** – Skid Packed
WS – Wet Strength **BR** – Vellum Bristol **IND** – Index * – Unwatermarked



classic[®] laid envelopes

Basis	Product Type	Item #	Env/ Box	Env/ Ctn
Avon Brilliant White (93 Brightness) FSC[®]				
FSC Mix Imaging				
24W	Monarch	2143400	500	2,500
24W	A1	7132900	250	2,500
24W	A2	7156300	250	1,000
24W	A6	7179900	250	1,000
24W	A7	7206200	250	1,000
24W	A8	7229900	250	1,000
24W	A9	7258200	250	1,000
24W	A10	7317400	250	1,000
24W	4 Baronial	8002937	250	2,500
24W	5 1/2 Baronial	7775200	250	2,500
24W	6 Baronial	8002938	250	2,500
24W	Lee	8002939	250	2,500
24W	5 x 5	8002941	250	1,000
24W	5 1/2 x 5 1/2	8002940	250	1,000
24W	6 x 6	8002943	250	1,000
24W	6 1/2 x 6 1/2	8002942	250	1,000
24W	7 x 7	8002945	250	1,000
24W	7 1/2 x 7 1/2	8002944	250	1,000
24W	8 x 8	8002947	250	1,000
24W	8 1/2 x 8 1/2	8002946	250	1,000
24W	9 x 12 Booklet	7607800	500	500
24W	9 x 12 Catalog	7633400	500	500
24W	10 x 13 Booklet	7664600	500	500
24W	10 x 13 Catalog	7724500	500	500
Baronial Ivory FSC[®]				
FSC Mix Imaging				
24W	#10 Commercial	2171500	500	2,500
24W	#10 Square	7006600	500	2,500
24W	#10 peel and seal	4158800	500	2,500
24W	#10 Poly Window	7452700	500	2,500
24W	#10 Commercial Canadian Window	8002994	500	2,500
24W	#10 Policy	7073800	500	2,500
24W	#9 Commercial	0168700	500	2,500
24W	#6 3/4	2126900	500	2,500
24W	DL International	8002989	150	600
24W	Monarch	2145900	500	2,500
24W	A1	7133100	250	2,500
24W	A2	7156500	250	1,000
24W	A6	7180100	250	1,000
24W	A7	7206400	250	1,000

Key **FSC[®]** – FSC[®] Certified  – Renewable Electricity  – Green Seal Certified **PCF** – Processed Chlorine Free
 – Minimum 30% Post Consumer **DC** – Duplex Cover **DTC** – Double Thick Cover **SP** – Skid Packed
WS – Wet Strength **BR** – Vellum Bristol **IND** – Index * – Unwatermarked



classic[®] laid envelopes

Basis	Product Type	Item #	Env/ Box	Env/ Ctn
Baronial Ivory FSC[®]				
FSC Mix Imaging				
24W	A8	7230100	250	1,000
24W	A9	7258400	250	1,000
24W	A10	7317600	250	1,000
24W	4 Baronial	8002990	250	2,500
24W	5 1/2 Baronial	8002991	250	2,500
24W	6 Baronial	8002992	250	2,500
24W	Lee	8002993	250	2,500
24W	5 x 5	8002996	250	1,000
24W	5 1/2 x 5 1/2	8002995	250	1,000
24W	6 x 6	8002998	250	1,000
24W	6 1/2 x 6 1/2	8002997	250	1,000
24W	7 x 7	8003000	250	1,000
24W	7 1/2 x 7 1/2	8002999	250	1,000
24W	8 x 8	8003002	250	1,000
24W	8 1/2 x 8 1/2	8003001	250	1,000
24W	9 x 12 Booklet	7608000	500	500
24W	9 x 12 Catalog	7633600	500	500
24W	10 x 13 Booklet	7664900	500	500
24W	10 x 13 Catalog	7724800	500	500
Classic Natural White FSC[®]				
FSC Mix Imaging				
24W	#10 Commercial	2153300	500	2,500
24W	#10 Square	7006900	500	2,500
24W	#10 peel and seal	4158700	500	2,500
24W	#10 Poly Window	6712300	500	2,500
24W	#10 Commercial Canadian Window	8003060	500	2,500
24W	#10 Policy	7074100	500	2,500
24W	#9 Commercial	1223800	500	2,500
24W	#6 3/4	2125100	500	2,500
24W	DL International	8003055	150	600
24W	Monarch	2144200	500	2,500
24W	A1	7133400	250	2,500
24W	A2	7156800	250	1,000
24W	A6	7180500	250	1,000
24W	A7	7206700	250	1,000
24W	A8	7230400	250	1,000
24W	A9	7258700	250	1,000
24W	A10	7318000	250	1,000
24W	4 Baronial	8003056	250	2,500
24W	5 1/2 Baronial	8003057	250	2,500

Key **FSC[®]** – FSC[®] Certified  – Renewable Electricity  – Green Seal Certified **PCF** – Processed Chlorine Free
 – Minimum 30% Post Consumer **DC** – Duplex Cover **DTC** – Double Thick Cover **SP** – Skid Packed
WS – Wet Strength **BR** – Vellum Bristol **IND** – Index * – Unwatermarked



classic[®] laid envelopes

Basis	Product Type	Item #	Env/ Box	Env/ Ctn
Classic Natural White FSC[®]				
FSC Mix Imaging				
24W	6 Baronial	8003058	250	2,500
24W	Lee	8003059	250	2,500
24W	5 x 5	8003062	250	1,000
24W	5 1/2 x 5 1/2	8003061	250	1,000
24W	6 x 6	8003064	250	1,000
24W	6 1/2 x 6 1/2	8003063	250	1,000
24W	7 x 7	8003066	250	1,000
24W	7 1/2 x 7 1/2	8003065	250	1,000
24W	8 x 8	8003068	250	1,000
24W	8 1/2 x 8 1/2	8003067	250	1,000
24W	9 x 12 Booklet	7608400	500	500
24W	9 x 12 Catalog	7633900	500	500
24W	10 x 13 Booklet	7665400	500	500
24W	10 x 13 Catalog	7725400	500	500
Solar White (97 Brightness) FSC[®]				
FSC Mix Imaging				
24W	#10 Commercial	2177200	500	2,500
24W	#10 Square	7007700	500	2,500
24W	#10 peel and seal	7028900	500	2,500
24W	#10 Poly Window	9853100	500	2,500
24W	#10 Commercial Canadian Window	8003226	500	2,500
24W	#10 Policy	7074800	500	2,500
24W	#9 Commercial	2883800	500	2,500
24W	#6 3/4	2142600	500	2,500
24W	DL International	8003221	150	600
24W	Monarch	2151700	500	2,500
24W	A1	7134100	250	2,500
24W	A2	7157600	250	1,000
24W	A6	7181800	250	1,000
24W	A7	7207400	250	1,000
24W	A8	7231200	250	1,000
24W	A9	7259400	250	1,000
24W	A10	7318700	250	1,000
24W	4 Baronial	8003222	250	2,500
24W	5 1/2 Baronial	8003223	250	2,500
24W	6 Baronial	8003224	250	2,500
24W	Lee	8003225	250	2,500
24W	5 x 5	8003228	250	1,000
24W	5 1/2 x 5 1/2	8003227	250	1,000
24W	6 x 6	8003230	250	1,000

Key **FSC[®]** – FSC[®] Certified  – Renewable Electricity  – Green Seal Certified **PCF** – Processed Chlorine Free
 – Minimum 30% Post Consumer **DC** – Duplex Cover **DTC** – Double Thick Cover **SP** – Skid Packed
WS – Wet Strength **BR** – Vellum Bristol **IND** – Index * – Unwatermarked



classic[®] laid envelopes

Basis	Product Type	Item #	Env/ Box	Env/ Ctn
Solar White (97 Brightness) FSC[®]				
FSC Mix Imaging				
24W	6 1/2 x 6 1/2	8003229	250	1,000
24W	7 x 7	8003232	250	1,000
24W	7 1/2 x 7 1/2	8003231	250	1,000
24W	8 x 8	8003234	250	1,000
24W	8 1/2 x 8 1/2	8003233	250	1,000
24W	9 x 12 Booklet	7609100	500	500
24W	9 x 12 Catalog	7634600	500	500
24W	10 x 13 Booklet	7666600	500	500
24W	10 x 13 Catalog	7726600	500	500

Key **FSC[®]** – FSC[®] Certified  – Renewable Electricity  – Green Seal Certified **PCF** – Processed Chlorine Free
 – Minimum 30% Post Consumer **DC** – Duplex Cover **DTC** – Double Thick Cover **SP** – Skid Packed
WS – Wet Strength **BR** – Vellum Bristol **IND** – Index * – Unwatermarked

