

# N classic<sup>®</sup> stipple papers

The pebbled finish offers an authentic feel with a striking tactile effect. Natural yet refined, CLASSIC<sup>®</sup> Stipple Papers leaves a memorable impression.

## Features

## Benefits

Eye-catching whites and colors.	Beautiful bright whites and refreshing colors to expand your creativity.
Subtle, stipple finish	Consistent side to side unique pebbled finish enhances the printed image with a striking tactile effect.
Entire offering is FSC <sup>®</sup> Certified.	Meets the mark of responsible forestry.
Green Seal <sup>™</sup> Certified • All recycled colors	All recycled colors in CLASSIC Stipple Papers are made with a minimum of 30% post consumer fiber and meet federal procurement guidelines.
Manufactured acid free with archival properties.	Permanence
Digital Platform: whites and colors	Our universal digital finish is compatible with all digital presses. For guarantee & certification details go to <a href="http://neenahpaper.com/digital">neenahpaper.com/digital</a> .
Laser & Ink Jet Guaranteed.	Writing and Text weights are guaranteed in laser, ink jet, color printer and high speed copier applications.
Matching envelopes starting at simply 1 box.	An impressive range of 33 styles in allwriting and text weight colors complete any communication package.

# N classic<sup>®</sup> stipple papers

## Paper Specifications - CLASSIC<sup>®</sup> Stipple Papers

Finish	Basis lbs.	Basis g/m <sup>2</sup>	Opacity	Caliper	Smoothness
Stipple	24W	90	91	4.9	N/A
	80T	118	95	5.8	N/A
	100T	148	96	7.5	N/A
	80C	216	98	10.8	N/A
	100C	270	99	13	N/A
	130DTC	352	99	16	N/A
	165DTC	446	99	21	N/A
Stipple Digital	80T	118	95	5.8	N/A
	100T	148	96	7.5	N/A
	80C	216	98	10.8	N/A
	100C	270	99	13	N/A
	130DTC	352	99	16	N/A

- Opacity specifications are for whites and near whites.
- Caliper values are approximate as grades run to basis weight and finish.
- Smoothness is in Sheffield units.



## Special Make Minimums

### Standard Minimums

COLOR	BASIS WEIGHT (Standard Colors)	SIZE
15,000 lbs.	10,000 lbs.	5,000 lbs.

- \* Special colors are subject to inquiry and mill acceptance.
- \* Laminated sheets using standard basis weights and colors require 10,000 lbs total minimum with a \$30.00 per cwt upcharge.









# classic<sup>®</sup> stipple papers

Basis/ Caliper	Size	Item #	M wt	Product Type	Shts/ Pack	Shts/ Ctn	Ctns/ Pallet
<b>Antique Gray FSC<sup>®</sup></b>							
FSC Mix Stipple							
100C / 13pt	26x40	<b>16230</b>	400	Sheet		200	24
<b>Avalanche White (99+ Brightness) FSC<sup>®</sup></b>							
FSC Mix Stipple							
80T / 5.8pt	25x38	<b>16234</b>	160	Sheet		500	20
80C / 10.8pt	26x40	<b>16237</b>	320	Sheet		300	24
100C / 13pt	26x40	<b>16239</b>	400	Sheet		200	24
130DTC / 16pt	26x40	<b>16240</b>	520	Sheet		200	20
<b>Avalanche White (99+ Brightness) FSC<sup>®</sup></b>							
FSC Mix Stipple Digital							
80T / 5.8pt	12x18	<b>16233</b>	36.36	Sheet	250	1,000	32
100C / 13pt	18x12	<b>16238</b>	83.06	Sheet	125	500	32
100C / 13pt	19x13	<b>80970</b>	95	Sheet	250	500	30
<b>Avon Brilliant White (93 Brightness) FSC<sup>®</sup></b>							
FSC Mix Stipple							
100C / 13pt	26x40	<b>16248</b>	400	Sheet		200	24
<b>Avon Brilliant White (93 Brightness) FSC<sup>®</sup></b>							
FSC Mix Stipple Digital							
100C / 13pt	18x12	<b>16247</b>	83.06	Sheet	125	500	32
100C / 13pt	19x13	<b>80972</b>	95	Sheet	250	500	30
<b>Bare White FSC<sup>®</sup></b>							
FSC Mix Stipple							
100C / 13pt	26x40	<b>03705</b>	400	Sheet		200	16
<b>Charcoal  FSC<sup>®</sup> </b>							
FSC Mix, 30% Minimum Post-Consumer Recycled Fibers Stipple							
100C / 13pt	26x40	<b>03759</b>	400	Sheet		200	16
<b>Classic Natural White FSC<sup>®</sup></b>							
FSC Mix Stipple							
80T / 5.8pt	25x38	<b>16258</b>	160	Sheet		500	20
80C / 10.8pt	26x40	<b>16261</b>	320	Sheet		300	24
100C / 13pt	26x40	<b>16263</b>	400	Sheet		200	24
130DTC / 16pt	26x40	<b>16264</b>	520	Sheet		200	20

Key **FSC<sup>®</sup>** – FSC<sup>®</sup> Certified  – Renewable Electricity  – Green Seal Certified **PCF** – Processed Chlorine Free  
 – Minimum 30% Post Consumer **DC** – Duplex Cover **DTC** – Double Thick Cover **SP** – Skid Packed  
**WS** – Wet Strength **BR** – Vellum Bristol **IND** – Index \* – Unwatermarked



# classic<sup>®</sup> stipple papers

Basis/ Caliper	Size	Item #	M wt	Product Type	Shts/ Pack	Shts/ Ctn	Ctns/ Pallet
<b>Classic Natural White</b> FSC <sup>®</sup>							
FSC Mix Stipple Digital							
80T / 5.8pt	12x18	<b>16257</b>	36.36	Sheet	250	1,000	32
100C / 13pt	18x12	<b>16262</b>	83.06	Sheet	125	500	32
100C / 13pt	19x13	<b>80968</b>	95	Sheet	250	500	30
<b>Cobalt</b> fsc <sup>®</sup>							
FSC Mix Stipple							
100C / 13pt	26x40	<b>08501</b>	400	Sheet		200	16
<b>Epic Black</b>  FSC <sup>®</sup> 							
FSC Mix, 30% Minimum Post-Consumer Recycled Fibers Stipple							
80C / 10.8pt	26x40	<b>16266</b>	320	Sheet		200	28
100C / 13pt	26x40	<b>16268</b>	400	Sheet		200	24
130DTC / 16pt	26x40	<b>16269</b>	520	Sheet		200	20
<b>Epic Black</b>  FSC <sup>®</sup> 							
FSC Mix, 30% Minimum Post-Consumer Recycled Fibers Stipple Digital							
100C / 13pt	18x12	<b>16267</b>	83.06	Sheet	125	500	32
<b>Imperial Red</b> fsc <sup>®</sup>							
FSC Mix Stipple							
100C / 13pt	26x40	<b>08535</b>	400	Sheet		200	16
<b>Patriot Blue</b>  FSC <sup>®</sup> 							
FSC Mix, 30% Minimum Post-Consumer Recycled Fibers Stipple							
80C / 10.8pt	26x40	<b>16270</b>	320	Sheet		200	28
100C / 13pt	26x40	<b>16272</b>	400	Sheet		200	24
130DTC / 16pt	26x40	<b>16274</b>	520	Sheet		200	20
<b>Patriot Blue</b>  FSC <sup>®</sup> 							
FSC Mix, 30% Minimum Post-Consumer Recycled Fibers Stipple Digital							
100C / 13pt	18x12	<b>16271</b>	83.06	Sheet	125	500	32
<b>Pewter</b> fsc <sup>®</sup>							
FSC Mix Stipple							
100C / 13pt	26x40	<b>08570</b>	400	Sheet		200	16
<b>Solar White (97 Brightness)</b> FSC <sup>®</sup>							
FSC Mix Stipple							
24W / 4.9pt	35x23	<b>16292</b>	103	Sheet		1,000	20
80T / 5.8pt	25x38	<b>16294</b>	160	Sheet		500	20
100T / 7.5pt	25x38	<b>16295</b>	200	Sheet		500	20
80C / 10.8pt	26x40	<b>16297</b>	320	Sheet		300	24

Key **FSC<sup>®</sup>** – FSC<sup>®</sup> Certified  – Renewable Electricity  – Green Seal Certified **PCF** – Processed Chlorine Free  
 – Minimum 30% Post Consumer **DC** – Duplex Cover **DTC** – Double Thick Cover **SP** – Skid Packed  
**WS** – Wet Strength **BR** – Vellum Bristol **IND** – Index \* – Unwatermarked



# classic<sup>®</sup> stipple papers

Basis/ Caliper	Size	Item #	M wt	Product Type	Shts/ Pack	Shts/ Ctn	Ctns/ Pallet
<b>Solar White (97 Brightness) FSC<sup>®</sup></b>							
FSC Mix Stipple							
100C / 13pt	26x40	<b>16299</b>	400	Sheet		200	24
130DTC / 16pt	26x40	<b>16300</b>	520	Sheet		200	20
165DTC / 21pt	26x40	<b>16301</b>	660	Sheet		200	16
<b>Solar White (97 Brightness) FSC<sup>®</sup></b>							
FSC Mix Stipple Digital							
80T / 5.8pt	12x18	<b>16293</b>	36.36	Sheet	250	1,000	32
100T / 7.5pt	12x18	<b>09362</b>	45.46	Sheet	250	1,000	32
100T / 7.5pt	13x19	<b>09363</b>	52	Sheet	250	1,000	30
80C / 10.8pt	18x12	<b>16325</b>	66.46	Sheet	250	500	32
80C / 10.8pt	19x13	<b>16326</b>	76	Sheet	250	500	30
100C / 13pt	18x12	<b>16298</b>	83.06	Sheet	125	500	32
100C / 13pt	19x13	<b>80964</b>	95	Sheet	250	500	30
100C / 13pt	20.75x29.5	<b>98698N</b>	235	Sheet		250	26
130DTC / 16pt	18x12	<b>09364</b>	108	Sheet	125	500	32
130DTC / 16pt	19x13	<b>09365</b>	123.5	Sheet	125	500	30

Key **FSC<sup>®</sup>** – FSC<sup>®</sup> Certified  – Renewable Electricity  – Green Seal Certified **PCF** – Processed Chlorine Free  
 – Minimum 30% Post Consumer **DC** – Duplex Cover **DTC** – Double Thick Cover **SP** – Skid Packed  
**WS** – Wet Strength **BR** – Vellum Bristol **IND** – Index \* – Unwatermarked



# classic<sup>®</sup> stipple envelopes

Basis	Product Type	Item #	Env/ Box	Env/ Ctn
<b>Avalanche White (99+ Brightness) FSC<sup>®</sup></b>				
FSC Mix Stipple				
80T	#10 Commercial	0316500	500	2,500
80T	#10 Square	7467800	500	2,500
80T	#10 peel and seal	7497200	500	2,500
80T	#10 Poly Window	7531700	500	2,500
80T	#10 Commercial Canadian Window	8001507	500	2,500
80T	#10 Policy	7567100	500	2,500
80T	#9 Commercial	7436900	500	2,500
80T	#6 3/4	7377700	400	2,000
80T	DL International	8001505	150	600
80T	Monarch	7407300	400	2,000
80T	A1	7094400	250	2,500
80T	A2	0316600	250	1,000
80T	A6	0316700	250	1,000
80T	A7	0316800	250	1,000
80T	A8	0316900	250	1,000
80T	A9	7280000	250	1,000
80T	A10	0317000	250	1,000
80T	4 Baronial	7798700	250	2,500
80T	5 1/2 Baronial	7796700	250	2,500
80T	6 Baronial	7796800	250	2,500
80T	Lee	8001506	250	2,500
80T	5 x 5	8001509	250	1,000
80T	5 1/2 x 5 1/2	8001508	250	1,000
80T	6 x 6	8001511	250	1,000
80T	6 1/2 x 6 1/2	8001510	250	1,000
80T	7 x 7	8001513	250	1,000
80T	7 1/2 x 7 1/2	8001512	250	1,000
80T	8 x 8	8001515	250	1,000
80T	8 1/2 x 8 1/2	8001514	250	1,000
80T	9 x 12 Booklet	0317200	500	500
80T	9 x 12 Catalog	7342900	500	500
80T	10 x 13 Booklet	7656700	500	500
80T	10 x 13 Catalog	7716800	500	500
<b>Classic Natural White FSC<sup>®</sup></b>				
FSC Mix Stipple				
80T	#10 Commercial	0324100	500	2,500
80T	#10 Square	7469100	500	2,500
80T	#10 peel and seal	7498800	500	2,500
80T	#10 Poly Window	7533300	500	2,500

Key **FSC<sup>®</sup>** – FSC<sup>®</sup> Certified  – Renewable Electricity  – Green Seal Certified **PCF** – Processed Chlorine Free  
 – Minimum 30% Post Consumer **DC** – Duplex Cover **DTC** – Double Thick Cover **SP** – Skid Packed  
**WS** – Wet Strength **BR** – Vellum Bristol **IND** – Index \* – Unwatermarked



# classic<sup>®</sup> stipple envelopes

Basis	Product Type	Item #	Env/ Box	Env/ Ctn
<b>Classic Natural White FSC<sup>®</sup></b>				
FSC Mix Stipple				
80T	#10 Commercial Canadian Window	<b>8002050</b>	500	2,500
80T	#10 Policy	<b>7569500</b>	500	2,500
80T	#9 Commercial	<b>7438700</b>	500	2,500
80T	#6 3/4	<b>7379500</b>	400	2,000
80T	DL International	<b>8002045</b>	150	600
80T	Monarch	<b>7409100</b>	400	2,000
80T	A1	<b>7096000</b>	250	2,500
80T	A2	<b>0324700</b>	250	1,000
80T	A6	<b>0324800</b>	250	1,000
80T	A7	<b>0325200</b>	250	1,000
80T	A8	<b>0325300</b>	250	1,000
80T	A9	<b>7281600</b>	250	1,000
80T	A10	<b>0326200</b>	250	1,000
80T	4 Baronial	<b>8002046</b>	250	2,500
80T	5 1/2 Baronial	<b>8002047</b>	250	2,500
80T	6 Baronial	<b>8002048</b>	250	2,500
80T	Lee	<b>8002049</b>	250	2,500
80T	5 x 5	<b>8002052</b>	250	1,000
80T	5 1/2 x 5 1/2	<b>8002051</b>	250	1,000
80T	6 x 6	<b>7792200</b>	250	1,000
80T	6 1/2 x 6 1/2	<b>8002053</b>	250	1,000
80T	7 x 7	<b>8002055</b>	250	1,000
80T	7 1/2 x 7 1/2	<b>8002054</b>	250	1,000
80T	8 x 8	<b>8002057</b>	250	1,000
80T	8 1/2 x 8 1/2	<b>8002056</b>	250	1,000
80T	9 x 12 Booklet	<b>0326300</b>	500	500
80T	9 x 12 Catalog	<b>7344800</b>	500	500
80T	10 x 13 Booklet	<b>7659900</b>	500	500
80T	10 x 13 Catalog	<b>7719600</b>	500	500
<b>Solar White (97 Brightness) FSC<sup>®</sup></b>				
FSC Mix Stipple				
24W	#10 Commercial	<b>0326400</b>	500	2,500
24W	#10 Square	<b>0326500</b>	500	2,500
24W	#10 peel and seal	<b>7027400</b>	500	2,500
24W	#10 Poly Window	<b>7050200</b>	500	2,500
24W	#10 Commercial Canadian Window	<b>8002631</b>	500	2,500
24W	#10 Policy	<b>7072600</b>	500	2,500
24W	#9 Commercial	<b>0326600</b>	500	2,500
24W	#6 3/4	<b>0326700</b>	500	2,500
24W	DL International	<b>8002626</b>	150	600

Key **FSC<sup>®</sup>** – FSC<sup>®</sup> Certified  – Renewable Electricity  – Green Seal Certified **PCF** – Processed Chlorine Free  
 – Minimum 30% Post Consumer **DC** – Duplex Cover **DTC** – Double Thick Cover **SP** – Skid Packed  
**WS** – Wet Strength **BR** – Vellum Bristol **IND** – Index \* – Unwatermarked



# classic<sup>®</sup> stipple envelopes

Basis	Product Type	Item #	Env/ Box	Env/ Ctn
<b>Solar White (97 Brightness) FSC<sup>®</sup></b>				
FSC Mix Stipple				
24W	Monarch	<b>0326800</b>	500	2,500
24W	A1	<b>7131900</b>	250	2,500
24W	A2	<b>7155200</b>	250	1,000
24W	A6	<b>7178900</b>	250	1,000
24W	A7	<b>7204900</b>	250	1,000
24W	A8	<b>7228900</b>	250	1,000
24W	A9	<b>7257200</b>	250	1,000
24W	A10	<b>7316400</b>	250	1,000
24W	4 Baronial	<b>8002627</b>	250	2,500
24W	5 1/2 Baronial	<b>8002628</b>	250	2,500
24W	6 Baronial	<b>8002629</b>	250	2,500
24W	Lee	<b>8002630</b>	250	2,500
24W	5 x 5	<b>8002633</b>	250	1,000
24W	5 1/2 x 5 1/2	<b>8002632</b>	250	1,000
24W	6 x 6	<b>8002635</b>	250	1,000
24W	6 1/2 x 6 1/2	<b>8002634</b>	250	1,000
24W	7 x 7	<b>8002637</b>	250	1,000
24W	7 1/2 x 7 1/2	<b>8002636</b>	250	1,000
24W	8 x 8	<b>8002639</b>	250	1,000
24W	8 1/2 x 8 1/2	<b>8002638</b>	250	1,000
24W	9 x 12 Booklet	<b>7606800</b>	500	500
24W	9 x 12 Catalog	<b>7632400</b>	500	500
24W	10 x 13 Booklet	<b>7662400</b>	500	500
24W	10 x 13 Catalog	<b>7722300</b>	500	500
80T	#10 Commercial	<b>0327700</b>	500	2,500
80T	#10 Square	<b>7470700</b>	500	2,500
80T	#10 peel and seal	<b>7500700</b>	500	2,500
80T	#10 Poly Window	<b>7535100</b>	500	2,500
80T	#10 Commercial Canadian Window	<b>8002645</b>	500	2,500
80T	#10 Policy	<b>7571500</b>	500	2,500
80T	#9 Commercial	<b>7441600</b>	500	2,500
80T	#6 3/4	<b>7381300</b>	400	2,000
80T	DL International	<b>8002640</b>	150	600
80T	Monarch	<b>7411500</b>	400	2,000
80T	A1	<b>7098100</b>	250	2,500
80T	A2	<b>0327800</b>	250	1,000
80T	A6	<b>0327900</b>	250	1,000
80T	A7	<b>0328000</b>	250	1,000
80T	A8	<b>0328100</b>	250	1,000
80T	A9	<b>7283400</b>	250	1,000
80T	A10	<b>0328400</b>	250	1,000

Key **FSC<sup>®</sup>** – FSC<sup>®</sup> Certified  – Renewable Electricity  – Green Seal Certified **PCF** – Processed Chlorine Free  
 – Minimum 30% Post Consumer **DC** – Duplex Cover **DTC** – Double Thick Cover **SP** – Skid Packed  
**WS** – Wet Strength **BR** – Vellum Bristol **IND** – Index \* – Unwatermarked





# classic<sup>®</sup> stipple envelopes

Basis	Product Type	Item #	Env/ Box	Env/ Ctn
<b>Solar White (97 Brightness) FSC<sup>®</sup></b>				
FSC Mix Stipple				
80T	4 Baronial	<b>8002641</b>	250	2,500
80T	5 1/2 Baronial	<b>8002642</b>	250	2,500
80T	6 Baronial	<b>8002643</b>	250	2,500
80T	Lee	<b>8002644</b>	250	2,500
80T	5 x 5	<b>7787100</b>	250	1,000
80T	5 1/2 x 5 1/2	<b>8002646</b>	250	1,000
80T	6 x 6	<b>8002647</b>	250	1,000
80T	6 1/2 x 6 1/2	<b>7786300</b>	250	1,000
80T	7 x 7	<b>8002649</b>	250	1,000
80T	7 1/2 x 7 1/2	<b>8002648</b>	250	1,000
80T	8 x 8	<b>8002651</b>	250	1,000
80T	8 1/2 x 8 1/2	<b>8002650</b>	250	1,000
80T	9 x 12 Booklet	<b>0328500</b>	500	500
80T	9 x 12 Catalog	<b>7346700</b>	500	500
80T	10 x 13 Booklet	<b>7663100</b>	500	500
80T	10 x 13 Catalog	<b>7723000</b>	500	500
100T	#10 Commercial	<b>8002652</b>	400	2,000
100T	#10 Square	<b>8002653</b>	400	2,000
100T	#10 peel and seal	<b>8002654</b>	400	2,000
100T	#10 Poly Window	<b>8002655</b>	400	2,000
100T	#10 Commercial Canadian Window	<b>8002676</b>	400	2,000
100T	#10 Policy	<b>8002656</b>	400	2,000
100T	#9 Commercial	<b>8002658</b>	400	2,000
100T	#6 3/4	<b>8002657</b>	300	1,500
100T	DL International	<b>8002659</b>	125	500
100T	Monarch	<b>8002660</b>	300	1,500
100T	A1	<b>8002661</b>	200	2,000
100T	A2	<b>8002662</b>	200	800
100T	A6	<b>8002663</b>	200	800
100T	A7	<b>8002664</b>	200	800
100T	A8	<b>8002665</b>	200	800
100T	A9	<b>8002666</b>	200	800
100T	A10	<b>8002667</b>	200	800
100T	5 x 5	<b>8002678</b>	200	800
100T	5 1/2 x 5 1/2	<b>8002677</b>	200	800
100T	6 x 6	<b>8002680</b>	200	800
100T	6 1/2 x 6 1/2	<b>8002679</b>	200	800
100T	7 x 7	<b>8002682</b>	200	800
100T	7 1/2 x 7 1/2	<b>8002681</b>	200	800
100T	8 x 8	<b>8002684</b>	200	800
100T	8 1/2 x 8 1/2	<b>8002683</b>	200	800

Key **FSC<sup>®</sup>** – FSC<sup>®</sup> Certified  – Renewable Electricity  – Green Seal Certified **PCF** – Processed Chlorine Free  
 – Minimum 30% Post Consumer **DC** – Duplex Cover **DTC** – Double Thick Cover **SP** – Skid Packed  
**WS** – Wet Strength **BR** – Vellum Bristol **IND** – Index \* – Unwatermarked



# classic<sup>®</sup> stipple envelopes

Basis	Product Type	Item #	Env/ Box	Env/ Ctn
<b>Solar White (97 Brightness)FSC<sup>®</sup></b>				
FSC Mix Stipple				
100T	9 x 12 Booklet	<b>8002672</b>	400	400
100T	9 x 12 Catalog	<b>8002673</b>	400	400
100T	10 x 13 Booklet	<b>8002674</b>	400	400
100T	10 x 13 Catalog	<b>8002675</b>	400	400

**Key** FSC<sup>®</sup> – FSC<sup>®</sup> Certified  – Renewable Electricity  – Green Seal Certified **PCF** – Processed Chlorine Free  
 – Minimum 30% Post Consumer **DC** – Duplex Cover **DTC** – Double Thick Cover **SP** – Skid Packed  
**WS** – Wet Strength **BR** – Vellum Bristol **IND** – Index \* – Unwatermarked

