

# N classic® techweave papers

A high-end finish with one-of-a-kind feel. CLASSIC® Techweave Papers embodies finely woven fabric with a high-tech twist.

## Features

## Benefits

Eye-catching whites and colors.	Beautiful bright whites and refreshing colors to expand your creativity.
Subtle, techweave finish	A unique "techy" finish that you won't find in any other paper. Consistent side to side pattern enhances the printed image.
Entire offering is FSC® Certified.	Meets the mark of responsible forestry.
Green Seal™ Certified • All recycled colors	All recycled colors in CLASSIC Techweave Papers are made with a minimum of 30% post consumer fiber and meet federal procurement guidelines.
Manufactured acid free with archival properties.	Permanence
Digital Platform: Solar White	Our universal digital finish is compatible with all digital presses. For guarantee & certification details go to <a href="http://neenahpaper.com/digital">neenahpaper.com/digital</a> .
Laser & Ink Jet Guaranteed.	Text weights are guaranteed in laser, ink jet, color printer and high speed copier applications.
Matching envelopes starting at simply 1 box.	An impressive range of 33 styles in all text weight colors complete any communication package.

# N classic<sup>®</sup> techweave papers

## Paper Specifications - CLASSIC<sup>®</sup> Techweave Papers

Finish	Basis lbs.	Basis g/m <sup>2</sup>	Opacity	Caliper	Smoothness
Techweave	80T	118	95	6.2	N/A
	100T	148	96	7.8	N/A
	80C	216	98	11.7	N/A
	100C	270	99	15	N/A
	130DTC	352	99	17.4	N/A
	165DTC	446	99	22.5	N/A
Techweave	100T	148	96	7.8	N/A
Digital	100C	270	99	15	N/A
	130DTC	352	99	17.4	N/A

- Opacity specifications are for whites and near whites.
- Caliper values are approximate as grades run to basis weight and finish.
- Smoothness is in Sheffield units.





## Special Make Minimums

### Standard Minimums

COLOR	BASIS WEIGHT (Standard Colors)	SIZE
15,000 lbs.	10,000 lbs.	5,000 lbs.

- \* Special colors are subject to inquiry and mill acceptance.
- \* Laminated sheets using standard basis weights and colors require 10,000 lbs total minimum with a \$30.00 per cwt upcharge.



# classic<sup>®</sup> techweave papers

Basis/ Caliper	Size	Item #	M wt	Product Type	Shts/ Pack	Shts/ Ctn	Ctns/ Pallet
<b>Antique Gray FSC<sup>®</sup></b>							
FSC Mix Techweave							
100C / 15pt	26x40	<b>03661</b>	400	Sheet		200	16
<b>Avalanche White (99+ Brightness) FSC<sup>®</sup></b>							
FSC Mix Techweave							
80T / 6.2pt	25x38	<b>03675</b>	160	Sheet		500	16
80C / 11.7pt	26x40	<b>03677</b>	320	Sheet		300	24
100C / 15pt	26x40	<b>03678</b>	400	Sheet		200	16
130DTC / 17.4pt	26x40	<b>03679</b>	520	Sheet		200	20
<b>Avon Brilliant White (93 Brightness) FSC<sup>®</sup></b>							
FSC Mix Techweave							
80C / 11.7pt	26x40	<b>03714</b>	320	Sheet		300	24
100C / 15pt	26x40	<b>03715</b>	400	Sheet		200	16
130DTC / 17.4pt	26x40	<b>03716</b>	520	Sheet		200	20
<b>Bare White FSC<sup>®</sup></b>							
FSC Mix Techweave							
100C / 15pt	26x40	<b>03710</b>	400	Sheet		200	16
<b>Charcoal  FSC<sup>®</sup> </b>							
FSC Mix, 30% Minimum Post-Consumer Recycled Fibers Techweave							
100C / 15pt	26x40	<b>03761</b>	400	Sheet		200	16
<b>Classic Natural White FSC<sup>®</sup></b>							
FSC Mix Techweave							
80C / 11.7pt	26x40	<b>03766</b>	320	Sheet		300	24
100C / 15pt	26x40	<b>03767</b>	400	Sheet		200	16
130DTC / 17.4pt	26x40	<b>03768</b>	520	Sheet		200	20
<b>Cobalt FSC<sup>®</sup></b>							
FSC Mix Techweave							
100C / 15pt	26x40	<b>08503</b>	400	Sheet		200	16
<b>Epic Black  FSC<sup>®</sup> </b>							
FSC Mix, 30% Minimum Post-Consumer Recycled Fibers Techweave							
80C / 11.7pt	26x40	<b>08521</b>	320	Sheet		300	22
100C / 15pt	26x40	<b>08522</b>	400	Sheet		200	16
130DTC / 17.4pt	26x40	<b>08523</b>	520	Sheet		200	20

Key **FSC<sup>®</sup>** – FSC<sup>®</sup> Certified  – Renewable Electricity  – Green Seal Certified **PCF** – Processed Chlorine Free  
 – Minimum 30% Post Consumer **DC** – Duplex Cover **DTC** – Double Thick Cover **SP** – Skid Packed  
**WS** – Wet Strength **BR** – Vellum Bristol **IND** – Index \* – Unwatermarked



# classic<sup>®</sup> techweave papers

Basis/ Caliper	Size	Item #	M wt	Product Type	Shts/ Pack	Shts/ Ctn	Ctns/ Pallet
<b>Imperial Red fsc<sup>®</sup></b>							
FSC Mix Techweave							
100C / 15pt	26x40	<b>08537</b>	400	Sheet		200	16
<b>Patriot Blue  FSC<sup>®</sup> </b>							
FSC Mix, 30% Minimum Post-Consumer Recycled Fibers Techweave							
80C / 11.7pt	26x40	<b>08555</b>	320	Sheet		300	22
100C / 15pt	26x40	<b>08556</b>	400	Sheet		200	16
<b>Pewter fsc<sup>®</sup></b>							
FSC Mix Techweave							
100C / 15pt	26x40	<b>08573</b>	400	Sheet		200	16
<b>Solar White (97 Brightness) fsc<sup>®</sup></b>							
FSC Mix Techweave							
80T / 6.2pt	25x38	<b>08587</b>	160	Sheet		500	16
100T / 7.8pt	25x38	<b>08588</b>	200	Sheet		500	20
80C / 11.7pt	26x40	<b>08589</b>	320	Sheet		300	24
100C / 15pt	19x13	<b>67780</b>	95	Sheet	125	500	30
100C / 15pt	20x10800	<b>67781</b>		Roll			
100C / 15pt	26x40	<b>08590</b>	400	Sheet		200	16
130DTC / 17.4pt	26x40	<b>08591</b>	520	Sheet		200	20
165DTC / 22.5pt	26x40	<b>08592</b>	660	Sheet		200	16
<b>Solar White (97 Brightness) fsc<sup>®</sup></b>							
FSC Mix Techweave Digital							
100T / 7.8pt	12x18	<b>09372</b>	45.46	Sheet	250	1,000	32
100T / 7.8pt	13x19	<b>09373</b>	52	Sheet	250	1,000	30
100C / 15pt	18x12	<b>09374</b>	83.06	Sheet	125	500	32
100C / 15pt	19x13	<b>09375</b>	95	Sheet	125	500	30
100C / 15pt	20.75x29.5	<b>88976</b>	235	Sheet		250	24
130DTC / 17.4pt	18x12	<b>09376</b>	108	Sheet	125	500	32
130DTC / 17.4pt	19x13	<b>09377</b>	123.5	Sheet	125	500	30

Key **FSC<sup>®</sup>** – FSC<sup>®</sup> Certified  – Renewable Electricity  – Green Seal Certified **PCF** – Processed Chlorine Free  
 – Minimum 30% Post Consumer **DC** – Duplex Cover **DTC** – Double Thick Cover **SP** – Skid Packed  
**WS** – Wet Strength **BR** – Vellum Bristol **IND** – Index \* – Unwatermarked



# classic<sup>®</sup> techweave envelopes

Basis	Product Type	Item #	Env/ Box	Env/ Ctn
<b>Avalanche White (99+ Brightness) FSC<sup>®</sup></b>				
FSC Mix				
Techweave				
80T	#10 Commercial	0725767	500	2,500
80T	#10 Square	0725768	500	2,500
80T	#10 peel and seal	0725769	500	2,500
80T	#10 Poly Window	0725770	500	2,500
80T	#10 Commercial Canadian Window	0725771	500	2,500
80T	#10 Policy	0725772	500	2,500
80T	#9 Commercial	0725774	500	2,500
80T	#6 3/4	0725773	400	2,000
80T	DL International	0725775	150	600
80T	Monarch	0725776	400	2,000
80T	A1	0725777	250	2,500
80T	A2	0725778	250	1,000
80T	A6	0725779	250	1,000
80T	A7	0725780	250	1,000
80T	A8	0725781	250	1,000
80T	A9	0725782	250	1,000
80T	A10	0725783	250	1,000
80T	4 Baronial	0725784	250	2,500
80T	5 1/2 Baronial	0725785	250	2,500
80T	6 Baronial	0725786	250	2,500
80T	Lee	0725787	250	2,500
80T	5 x 5	0725788	250	1,000
80T	5 1/2 x 5 1/2	0725789	250	1,000
80T	6 x 6	0725790	250	1,000
80T	6 1/2 x 6 1/2	0725791	250	1,000
80T	7 x 7	0725792	250	1,000
80T	7 1/2 x 7 1/2	0725793	250	1,000
80T	8 x 8	0725794	250	1,000
80T	8 1/2 x 8 1/2	0725795	250	1,000
80T	9 x 12 Booklet	0725796	500	500
80T	9 x 12 Catalog	0725797	500	500
80T	10 x 13 Booklet	0725798	500	500
80T	10 x 13 Catalog	0725799	500	500
<b>Solar White (97 Brightness) FSC<sup>®</sup></b>				
FSC Mix				
Techweave				
80T	#10 Commercial	0726328	500	2,500
80T	#10 Square	0726329	500	2,500
80T	#10 peel and seal	0726330	500	2,500
80T	#10 Poly Window	0726331	500	2,500

Key **FSC<sup>®</sup>** – FSC<sup>®</sup> Certified  – Renewable Electricity  – Green Seal Certified **PCF** – Processed Chlorine Free  
 – Minimum 30% Post Consumer **DC** – Duplex Cover **DTC** – Double Thick Cover **SP** – Skid Packed  
**WS** – Wet Strength **BR** – Vellum Bristol **IND** – Index \* – Unwatermarked



# classic<sup>®</sup> techweave envelopes

Basis	Product Type	Item #	Env/ Box	Env/ Ctn
<b>Solar White (97 Brightness) FSC<sup>®</sup></b>				
FSC Mix				
Techweave				
80T	#10 Commercial Canadian Window	<b>0726332</b>	500	2,500
80T	#10 Policy	<b>0726333</b>	500	2,500
80T	#9 Commercial	<b>0726335</b>	500	2,500
80T	#6 3/4	<b>0726334</b>	400	2,000
80T	DL International	<b>0726336</b>	150	600
80T	Monarch	<b>0726337</b>	400	2,000
80T	A1	<b>0726338</b>	250	2,500
80T	A2	<b>0726339</b>	250	1,000
80T	A6	<b>0726340</b>	250	1,000
80T	A7	<b>0726341</b>	250	1,000
80T	A8	<b>0726342</b>	250	1,000
80T	A9	<b>0726343</b>	250	1,000
80T	A10	<b>0726344</b>	250	1,000
80T	4 Baronial	<b>0726345</b>	250	2,500
80T	5 1/2 Baronial	<b>0726346</b>	250	2,500
80T	6 Baronial	<b>0726347</b>	250	2,500
80T	Lee	<b>0726348</b>	250	2,500
80T	5 x 5	<b>0726349</b>	250	1,000
80T	5 1/2 x 5 1/2	<b>0726350</b>	250	1,000
80T	6 x 6	<b>0726351</b>	250	1,000
80T	6 1/2 x 6 1/2	<b>0726352</b>	250	1,000
80T	7 x 7	<b>0726353</b>	250	1,000
80T	7 1/2 x 7 1/2	<b>0726354</b>	250	1,000
80T	8 x 8	<b>0726355</b>	250	1,000
80T	8 1/2 x 8 1/2	<b>0726356</b>	250	1,000
80T	9 x 12 Booklet	<b>0726357</b>	500	500
80T	9 x 12 Catalog	<b>0726358</b>	500	500
80T	10 x 13 Booklet	<b>0726359</b>	500	500
80T	10 x 13 Catalog	<b>0726360</b>	500	500
100T	#10 Commercial	<b>0726724</b>	400	2,000
100T	#10 Square	<b>0726729</b>	400	2,000
100T	#10 peel and seal	<b>0726726</b>	400	2,000
100T	#10 Poly Window	<b>0726728</b>	400	2,000
100T	#10 Commercial Canadian Window	<b>0726725</b>	400	2,000
100T	#10 Policy	<b>0726727</b>	400	2,000
100T	#9 Commercial	<b>0726731</b>	400	2,000
100T	#6 3/4	<b>0726730</b>	300	1,500
100T	DL International	<b>0726754</b>	125	500
100T	Monarch	<b>0726756</b>	300	1,500
100T	A1	<b>0726747</b>	200	2,000
100T	A2	<b>0726749</b>	200	800

Key **FSC<sup>®</sup>** – FSC<sup>®</sup> Certified  – Renewable Electricity  – Green Seal Certified **PCF** – Processed Chlorine Free  
 – Minimum 30% Post Consumer **DC** – Duplex Cover **DTC** – Double Thick Cover **SP** – Skid Packed  
**WS** – Wet Strength **BR** – Vellum Bristol **IND** – Index \* – Unwatermarked



# classic<sup>®</sup> techweave envelopes

Basis	Product Type	Item #	Env/ Box	Env/ Ctn
<b>Solar White (97 Brightness) FSC<sup>®</sup></b>				
FSC Mix				
Techweave				
100T	A6	<b>0726750</b>	200	800
100T	A7	<b>0726751</b>	200	800
100T	A8	<b>0726752</b>	200	800
100T	A9	<b>0726753</b>	200	800
100T	A10	<b>0726748</b>	200	800
100T	5 x 5	<b>0726737</b>	200	800
100T	5 1/2 x 5 1/2	<b>0726736</b>	200	800
100T	6 x 6	<b>0726740</b>	200	800
100T	6 1/2 x 6 1/2	<b>0726738</b>	200	800
100T	7 x 7	<b>0726742</b>	200	800
100T	7 1/2 x 7 1/2	<b>0726741</b>	200	800
100T	8 x 8	<b>0726744</b>	200	800
100T	8 1/2 x 8 1/2	<b>0726743</b>	200	800
100T	9 x 12 Booklet	<b>0726745</b>	400	400
100T	9 x 12 Catalog	<b>0726746</b>	400	400
100T	10 x 13 Booklet	<b>0726732</b>	400	400
100T	10 x 13 Catalog	<b>0726733</b>	400	400

**Key** FSC<sup>®</sup> – FSC<sup>®</sup> Certified  – Renewable Electricity  – Green Seal Certified **PCF** – Processed Chlorine Free  
 – Minimum 30% Post Consumer **DC** – Duplex Cover **DTC** – Double Thick Cover **SP** – Skid Packed  
**WS** – Wet Strength **BR** – Vellum Bristol **IND** – Index \* – Unwatermarked

