

N conservation[®] papers

CONSERVATION[®] Papers is an environmentally responsible sheet that is dependable on press and economically priced.

Features

Benefits

100% post consumer fibers.	Environmentally responsible; meeting the needs of the eco-conscious consumer.
FSC [®] Certified	Meets the mark of responsible forestry.
Green Seal [™] Certified	CONSERVATION Papers are made with 100% post consumer fiber and meet federal procurement guidelines.
Processed Chlorine Free (PCF)	Manufactured from sustainable raw materials and are processed using chlorine-free practices.
Manufactured acid free with archival properties.	Permanence
One white, seven weights and precision-cut digital sizes 12 x18 and 18 x12	Straight-forward, easy to understand green offering.
Unwatermarked 24# Writing weight	Allows the sheet to perform as a 24# Writing or a 60# Text sheet.
Smooth finish, 92 Brightness	Offers dependable on press performance.
Laser & Ink Jet Guaranteed.	Writing and Text weights are guaranteed in laser, ink jet, color printer and high speed copier applications.
Matching envelopes starting at simply 1 box.	An impressive range of 33 styles in writing and text weights complete any communication package.
Economically priced.	Perfect for the "green" customer who is looking for value.

N conservation[®] papers

Paper Specifications - CONSERVATION[®] Papers

Finish	Basis lbs.	Basis g/m ²	Opacity	Caliper	Smoothness
Smooth	24W	90	91	4.4	150
	70T	104	93	5	150
	80T	118	94	5.8	150
	100T	148	96	7.3	150
	80C	216	97	10.2	150
	110C	297	98	14.3	150
Smooth Digital	80T	118	94	5.8	150
	100T	148	96	7.3	150
	80C	216	97	10.2	150
	100C	270	98	12.8	150

- Opacity Specifications are for White PC 100.
- Caliper values are approximate as grades run to basis weight and finish.
- Smoothness is in Sheffield units.

Special Make Minimums

Standard Minimums

COLOR	BASIS WEIGHT (Standard Colors)	SIZE
N/A	10,000 lbs.	5,000 lbs.

- * Special colors are subject to inquiry and mill acceptance.
- * Laminated sheets using standard basis weights and colors require 10,000 lbs total minimum with a \$30.00 per cwt upcharge.

conservation[®] papers

Basis/ Caliper	Size	Item #	M wt	Product Type	Shts/ Pack	Shts/ Ctn	Ctns/ Pallet
-------------------	------	--------	------	-----------------	---------------	--------------	-----------------

White PC 100 (92 Brightness) FSC[®] PCF

FSC Recycled, 100% Post-Consumer Recycled Fibers
Smooth

24W / 4.4pt	8.5x11	18100*	12	Sheet	500	5,000	32
24W / 4.4pt	35x23	18101*	103	Sheet		1,000	20
70T / 5pt	23x35	18110	119	Sheet		1,000	16
70T / 5pt	25x38	18111	140	Sheet		750	22
80T / 5.8pt	23x35	18120	136	Sheet		750	20
80T / 5.8pt	25x38	18121	160	Sheet		750	18
100T / 7.3pt	25x38	18122	200	Sheet		500	16
100T / 7.3pt	28x40	18123	236	Sheet		500	14
80C / 10.2pt	26x40	18132	320	Sheet		300	24
80C / 10.2pt	35x23	18131	248	Sheet		500	16
110C / 14.3pt	26x40	18140	440	Sheet		200	24

White PC 100 (92 Brightness) FSC[®] PCF

FSC Recycled, 100% Post-Consumer Recycled Fibers
Smooth Digital

80T / 5.8pt	12x18	18200	36.36	Sheet	250	1,000	32
100T / 7.3pt	12x18	18202	45.46	Sheet	250	1,000	32
80C / 10.2pt	18x12	18203	66.46	Sheet	250	500	32
100C / 12.8pt	18x12	18204	83.06	Sheet	250	500	32

Key  FSC[®] – FSC[®] Certified  – Renewable Electricity  – Green Seal Certified **PCF** – Processed Chlorine Free
 – Minimum 30% Post Consumer **DC** – Duplex Cover **DTC** – Double Thick Cover **SP** – Skid Packed
WS – Wet Strength **BR** – Vellum Bristol **IND** – Index * – Unwatermarked



conservation[®] envelopes

Basis	Product Type	Item #	Env/ Box	Env/ Ctn
White PC 100 (92 Brightness)  FSC[®]  PCF				
FSC Recycled, 100% Post-Consumer Recycled Fibers				
Smooth				
24W	#10 Commercial	1816000*	500	2,500
24W	#10 Square	7009300*	500	2,500
24W	#10 peel and seal	7031300*	500	2,500
24W	#10 Poly Window	7052100*	500	2,500
24W	#10 Commercial Canadian Window	8003866*	500	2,500
24W	#10 Policy	7077500*	500	2,500
24W	#9 Commercial	7001000*	500	2,500
24W	#6 3/4	7000100*	500	2,500
24W	DL International	8003861*	150	600
24W	Monarch	7000300*	500	2,500
24W	A1	7136300*	250	2,500
24W	A2	7159800*	250	1,000
24W	A6	7184200*	250	1,000
24W	A7	7210000*	250	1,000
24W	A8	7234100*	250	1,000
24W	A9	7262100*	250	1,000
24W	A10	7321500*	250	1,000
24W	4 Baronial	8003862*	250	2,500
24W	5 1/2 Baronial	8003863*	250	2,500
24W	6 Baronial	8003864*	250	2,500
24W	Lee	8003865*	250	2,500
24W	5 x 5	8003868*	250	1,000
24W	5 1/2 x 5 1/2	8003867*	250	1,000
24W	6 x 6	8003870*	250	1,000
24W	6 1/2 x 6 1/2	8003869*	250	1,000
24W	7 x 7	8003872*	250	1,000
24W	7 1/2 x 7 1/2	8003871*	250	1,000
24W	8 x 8	8003874*	250	1,000
24W	8 1/2 x 8 1/2	8003873*	250	1,000
24W	9 x 12 Booklet	7612000*	500	500
24W	9 x 12 Catalog	7637300*	500	500
24W	10 x 13 Booklet	7671700*	500	500
24W	10 x 13 Catalog	7731900*	500	500
70T	#10 Commercial	0283900	500	2,500
70T	#10 Square	7474700	500	2,500
70T	#10 peel and seal	7505800	500	2,500
70T	#10 Poly Window	7539200	500	2,500
70T	#10 Commercial Canadian Window	8003880	500	2,500
70T	#10 Policy	7575500	500	2,500
70T	#9 Commercial	7446000	500	2,500
70T	#6 3/4	7385600	500	2,500

Key **FSC[®]** – FSC[®] Certified  – Renewable Electricity  – Green Seal Certified **PCF** – Processed Chlorine Free
 – Minimum 30% Post Consumer **DC** – Duplex Cover **DTC** – Double Thick Cover **SP** – Skid Packed
WS – Wet Strength **BR** – Vellum Bristol **IND** – Index * – Unwatermarked





conservation[®] envelopes

Basis	Product Type	Item #	Env/ Box	Env/ Ctn
White PC 100 (92 Brightness)  FSC[®]  PCF				
FSC Recycled, 100% Post-Consumer Recycled Fibers Smooth				
70T	DL International	8003875	150	600
70T	Monarch	7416400	500	2,500
70T	A1	7102700	250	2,500
70T	A2	0284200	250	1,000
70T	A6	0284300	250	1,000
70T	A7	0284400	250	1,000
70T	A8	0284500	250	1,000
70T	A9	7287500	250	1,000
70T	A10	0284100	250	1,000
70T	4 Baronial	8003876	250	2,500
70T	5 1/2 Baronial	8003877	250	2,500
70T	6 Baronial	8003878	250	2,500
70T	Lee	8003879	250	2,500
70T	5 x 5	8003882	250	1,000
70T	5 1/2 x 5 1/2	8003881	250	1,000
70T	6 x 6	8003884	250	1,000
70T	6 1/2 x 6 1/2	8003883	250	1,000
70T	7 x 7	8003886	250	1,000
70T	7 1/2 x 7 1/2	8003885	250	1,000
70T	8 x 8	8003888	250	1,000
70T	8 1/2 x 8 1/2	8003887	250	1,000
70T	9 x 12 Booklet	0284000	500	500
70T	9 x 12 Catalog	7351300	500	500
70T	10 x 13 Booklet	7671800	500	500
70T	10 x 13 Catalog	7732000	500	500
80T	#10 Commercial	0284600	500	2,500
80T	#10 Square	7474800	500	2,500
80T	#10 peel and seal	7505900	500	2,500
80T	#10 Poly Window	7539300	500	2,500
80T	#10 Commercial Canadian Window	8003894	500	2,500
80T	#10 Policy	7575600	500	2,500
80T	#9 Commercial	7446100	500	2,500
80T	#6 3/4	7385700	400	2,000
80T	DL International	8003889	150	600
80T	Monarch	7416500	400	2,000
80T	A1	7102800	250	2,500
80T	A2	0284900	250	1,000
80T	A6	0285000	250	1,000
80T	A7	0285100	250	1,000
80T	A8	0285200	250	1,000
80T	A9	7287600	250	1,000

Key **FSC[®]** – FSC[®] Certified  – Renewable Electricity  – Green Seal Certified **PCF** – Processed Chlorine Free
 – Minimum 30% Post Consumer **DC** – Duplex Cover **DTC** – Double Thick Cover **SP** – Skid Packed
WS – Wet Strength **BR** – Vellum Bristol **IND** – Index * – Unwatermarked





conservation® envelopes

Basis	Product Type	Item #	Env/ Box	Env/ Ctn
White PC 100 (92 Brightness)  FSC®  PCF				
FSC Recycled, 100% Post-Consumer Recycled Fibers Smooth				
80T	A10	0284800	250	1,000
80T	4 Baronial	8003890	250	2,500
80T	5 1/2 Baronial	8003891	250	2,500
80T	6 Baronial	8003892	250	2,500
80T	Lee	8003893	250	2,500
80T	5 x 5	8003896	250	1,000
80T	5 1/2 x 5 1/2	8003895	250	1,000
80T	6 x 6	8003898	250	1,000
80T	6 1/2 x 6 1/2	8003897	250	1,000
80T	7 x 7	8003900	250	1,000
80T	7 1/2 x 7 1/2	8003899	250	1,000
80T	8 x 8	8003902	250	1,000
80T	8 1/2 x 8 1/2	8003901	250	1,000
80T	9 x 12 Booklet	0284700	500	500
80T	9 x 12 Catalog	7351400	500	500
80T	10 x 13 Booklet	7671900	500	500
80T	10 x 13 Catalog	7732100	500	500
100T	#10 Commercial	8003903	400	2,000
100T	#10 Square	8003904	400	2,000
100T	#10 peel and seal	8003905	400	2,000
100T	#10 Poly Window	8003906	400	2,000
100T	#10 Commercial Canadian Window	8003927	400	2,000
100T	#10 Policy	8003907	400	2,000
100T	#9 Commercial	8003909	400	2,000
100T	#6 3/4	8003908	300	1,500
100T	DL International	8003910	125	500
100T	Monarch	8003911	300	1,500
100T	A1	8003912	200	2,000
100T	A2	8003913	200	800
100T	A6	8003914	200	800
100T	A7	8003915	200	800
100T	A8	8003916	200	800
100T	A9	8003917	200	800
100T	A10	8003918	200	800
100T	4 Baronial	8003919	200	2,000
100T	5 1/2 Baronial	8003920	200	2,000
100T	6 Baronial	8003921	200	2,000
100T	Lee	8003922	200	2,000
100T	5 x 5	8003929	200	800
100T	5 1/2 x 5 1/2	8003928	200	800
100T	6 x 6	8003931	200	800

Key **FSC®** – FSC® Certified  – Renewable Electricity  – Green Seal Certified **PCF** – Processed Chlorine Free
 – Minimum 30% Post Consumer **DC** – Duplex Cover **DTC** – Double Thick Cover **SP** – Skid Packed
WS – Wet Strength **BR** – Vellum Bristol **IND** – Index * – Unwatermarked



conservation[®] envelopes

Basis	Product Type	Item #	Env/ Box	Env/ Ctn
White PC 100 (92 Brightness)  FSC[®]  PCF				
FSC Recycled, 100% Post-Consumer Recycled Fibers Smooth				
100T	6 1/2 x 6 1/2	8003930	200	800
100T	7 x 7	8003933	200	800
100T	7 1/2 x 7 1/2	8003932	200	800
100T	8 x 8	8003935	200	800
100T	8 1/2 x 8 1/2	8003934	200	800
100T	9 x 12 Booklet	8003923	400	400
100T	9 x 12 Catalog	8003924	400	400
100T	10 x 13 Booklet	8003925	400	400
100T	10 x 13 Catalog	8003926	400	400

Key **FSC[®]** – FSC[®] Certified  – Renewable Electricity  – Green Seal Certified **PCF** – Processed Chlorine Free
 – Minimum 30% Post Consumer **DC** – Duplex Cover **DTC** – Double Thick Cover **SP** – Skid Packed
WS – Wet Strength **BR** – Vellum Bristol **IND** – Index * – Unwatermarked

