

# N digital papers

## Features

## Benefits

8.5x11, 11x17, 17x11, 12x18, 18x12, 13x19, 19x13 precision-cut digital sizes and along with 20.75x29.5.	Various sheet sizes for all digital presses.
Digital offerings in 12 finishes.	Wide range of smooth and textured finishes for all end-use applications.
Basis weights ranging from 24 lb. Writing (60T) up to 130 lb. Double Thick Cover.	Choice of weights including heavyweight covers.
Digital Platform compatible for liquid toner and dry toner digital print platforms.	Our universal digital finish is highly recommended for any digital press. For guarantee & certification details go to <a href="http://neenahpaper.com/digital">neenahpaper.com/digital</a> .
Digital Pressure Sensitive wet strength label options.	Ready for quick turn digital label applications.
FSC® Certified Options	Meets the mark of responsible forestry.
Green Seal™ Certified • 30%-100% recycled options	Made with a minimum 30% post consumer fiber and meets federal procurement guidelines.
Processed Chlorine Free (PCF) • 100% post consumer colors	Manufactured from sustainable raw materials and are processed using chlorine-free practices.
Neenah Folding Board available in 18pt. and 24pt. Thickness.	Specifically engineered for folding board applications.

# N digital papers

## Paper Specifications - ASTROBRIGHTS® Papers Digital

Finish	Basis lbs.	Basis g/m <sup>2</sup>	Opacity	Caliper	Smoothness
Smooth	65C	176	N/A	9.4	235
	80C	216	N/A	11.6	235

## Paper Specifications - CLASSIC CREST® Papers Digital

Finish	Basis lbs.	Basis g/m <sup>2</sup>	Opacity	Caliper	Smoothness
Eggshell Digital	80T	118	96	7	330
	100T	148	97	9	330
	80C	216	98	12.5	330
	100C	270	99	16	330
	100C	270	99	12.5	330
	120C	324	99	18	330
	120C	324	99	17.5	330
Smooth Digital	24W	90	91	4.8	200
	80T	118	96	5.8	125
	100T	148	97	7.2	125
	80C	216	98	10.5	125
	100C	270	99	12.5	125
	110C	297	99	14.5	150
	130DTC	352	99	16	125

## Paper Specifications - CLASSIC® Embellishment Digital

Finish	Basis lbs.	Basis g/m <sup>2</sup>	Opacity	Caliper	Smoothness
Eggshell Digital	115C	311	99	16	270
Smooth Digital	115C	311	99	14.5	250
	134DTC	363	99	17	250

## Paper Specifications - CLASSIC® Laid Papers Digital

Finish	Basis lbs.	Basis g/m <sup>2</sup>	Opacity	Caliper	Smoothness
Laid Digital	80C	216	98	13.5	N/A
	100DTC	270	99	16	N/A

## Paper Specifications - CLASSIC® Linen Papers Digital

Finish	Basis lbs.	Basis g/m <sup>2</sup>	Opacity	Caliper	Smoothness
Linen Digital	80T	118	95	5.6	N/A
	100T	148	96	7.4	N/A
	80C	216	98	10.8	N/A
	100C	270	98	13	N/A
	115C	311	99	15.6	N/A

## Paper Specifications - CLASSIC® Production Inkjet Digital

Finish	Basis	Basis	Opacity	Caliper	Smoothness
--------	-------	-------	---------	---------	------------

Key **FSC®** – FSC® Certified  – Renewable Electricity  – Green Seal Certified **PCF** – Processed Chlorine Free  
 – Minimum 30% Post Consumer **DC** – Duplex Cover **DTC** – Double Thick Cover **SP** – Skid Packed  
**WS** – Wet Strength **BR** – Vellum Bristol **IND** – Index \* – Unwatermarked



# N digital papers

	lbs.	g/m <sup>2</sup>			
Linen	80T	118	95	5.6	N/A
	100C	270	99	13	N/A
Smooth	80T	118	96	5.8	125
	100C	270	99	12.5	125
	130DTC	352	99	16	125
Techweave	100C	270	99	15	N/A

## Paper Specifications - CLASSIC® Stipple Papers Digital

Finish	Basis lbs.	Basis g/m <sup>2</sup>	Opacity	Caliper	Smoothness
Stipple Digital	80T	118	95	5.8	N/A
	100T	148	96	7.5	N/A
	80C	216	98	10.8	N/A
	100C	270	99	13	N/A
	130DTC	352	99	16	N/A

## Paper Specifications - CLASSIC® Techweave Papers Digital

Finish	Basis lbs.	Basis g/m <sup>2</sup>	Opacity	Caliper	Smoothness
Techweave	100T	148	96	7.8	N/A
Digital	100C	270	99	15	N/A
	130DTC	352	99	17.4	N/A

## Paper Specifications - CONSERVATION® Papers Digital

Finish	Basis lbs.	Basis g/m <sup>2</sup>	Opacity	Caliper	Smoothness
Smooth Digital	80T	118	94	5.8	150
	100T	148	96	7.3	150
	80C	216	97	10.2	150
	110C	297	98	14.3	150

## Paper Specifications - ENVIRONMENT® Papers Digital

Finish	Basis lbs.	Basis g/m <sup>2</sup>	Opacity	Caliper	Smoothness
Raw® Digital	100C	270	N/A	17.5	N/A
Smooth Digital	80T	118	95	5.8	150
	100T	148	96	7.3	150
	80C	216	98	10.3	150
	80C	216	98	10.5	150
	100C	270	99	13	150
	130DTC	352	99	16	150

## Paper Specifications - ESTATE LABEL® Pressure Sensitive Digital

Finish	Basis lbs.	Basis g/m <sup>2</sup>	Opacity	Caliper	Smoothness
Laid Digital	60T	89	91	10.2	N/A
Vellum Digital	60T	89	93	9.7	240

Key **FSC®** – FSC® Certified  – Renewable Electricity  – Green Seal Certified **PCF** – Processed Chlorine Free  
 – Minimum 30% Post Consumer **DC** – Duplex Cover **DTC** – Double Thick Cover **SP** – Skid Packed  
**WS** – Wet Strength **BR** – Vellum Bristol **IND** – Index \* – Unwatermarked



# N digital papers

## Paper Specifications - EXACT DIGITAL® Color Copy

Finish	Basis lbs.	Basis g/m <sup>2</sup>	Opacity	Caliper	Smoothness
Smooth	28W	105	93	4.4	65
	32W	120	94	4.8	65
	80C	216	98	9.4	70

## Paper Specifications - GO-TO DIGITAL™ Digital

Finish	Basis lbs.	Basis g/m <sup>2</sup>	Opacity	Caliper	Smoothness
Super Smooth	60T	89	91	3.7	70
	70T	104	93	4.3	70
	80T	118	96	4.9	70
	100T	148	97	6	70
	80C	216	98	9.1	100
	100C	270	98	12.1	100
	120C	324	98	14.2	100
Vellum Digital	100C	270	98	15	320

## Paper Specifications - NEENAH® 100% Cotton Papers Digital

Finish	Basis lbs.	Basis g/m <sup>2</sup>	Opacity	Caliper	Smoothness
Letterpress	90C	243	98	17.5	400
Digital	110C	297	98	21.5	400

## Paper Specifications - NEENAH® Folding Board Digital

Finish	Basis lbs.	Basis g/m <sup>2</sup>	Opacity	Caliper	Smoothness
Vellum Digital	125C	338	99	18	240

## Paper Specifications - NEENAH® Pearl Papers Digital

Finish	Basis lbs.	Basis g/m <sup>2</sup>	Opacity	Caliper	Smoothness
Smooth Digital	80T	118	N/A	5.8	150
	105C	284	98	13.3	165
	105C	284	N/A	13.3	165

## Paper Specifications - ROYAL SUNDANCE® Papers Felt Digital

Finish	Basis lbs.	Basis g/m <sup>2</sup>	Opacity	Caliper	Smoothness
Felt Digital	80T	118	94	7	N/A
	80C	216	97	13	N/A
	80C	216	97	13.5	N/A
	100C	270	98	16.4	N/A

## Paper Specifications - ROYAL SUNDANCE® Papers Fiber Digital

Finish	Basis lbs.	Basis g/m <sup>2</sup>	Opacity	Caliper	Smoothness
Fiber Digital	80C	216	97	10.8	175

Key **FSC®** – FSC® Certified  – Renewable Electricity  – Green Seal Certified **PCF** – Processed Chlorine Free  
 – Minimum 30% Post Consumer **DC** – Duplex Cover **DTC** – Double Thick Cover **SP** – Skid Packed  
**WS** – Wet Strength **BR** – Vellum Bristol **IND** – Index \* – Unwatermarked



# N digital papers

## Paper Specifications - ROYAL SUNDANCE® Papers Linen Digital

Finish	Basis lbs.	Basis g/m <sup>2</sup>	Opacity	Caliper	Smoothness
Linen Digital	80T	118	94	6.3	N/A
	80C	216	97	11.8	N/A
	100C	270	98	14.3	N/A

- Opacity specifications are for whites and near whites.
- Caliper values are approximate as grades run to basis weight and finish.
- Smoothness is in Sheffield units.





### Special Make Minimums

#### Standard Minimums

COLOR	BASIS WEIGHT (Standard Colors)	SIZE
15,000 lbs.	10,000 lbs.	5,000 lbs.

- \* Special colors are subject to inquiry and mill acceptance.
- \* Laminated sheets using standard basis weights and colors require 10,000 lbs total minimum with a \$30.00 per cwt upcharge.

# astrobrights® papers digital

Basis/ Caliper	Size	Item #	M wt	Product Type	Shts/ Pack	Shts/ Ctn	Ctns/ Pallet
<b>Cosmic Orange™ FSC®</b>							
FSC Mix Smooth							
80C / 11.6pt	18x12	<b>45209</b>	66.46	Sheet	250	500	32
<b>Lunar Blue™</b>  <b>FSC®</b> 							
FSC Mix, 30% Minimum Post-Consumer Recycled Fibers Smooth							
80C / 11.6pt	18x12	<b>45241</b>	66.46	Sheet	250	500	32
<b>Re-Entry Red™</b>  <b>FSC®</b> 							
FSC Mix, 30% Minimum Post-Consumer Recycled Fibers Smooth							
80C / 11.6pt	18x12	<b>45275</b>	66.46	Sheet	250	500	32
<b>Solar Yellow™ FSC®</b>							
FSC Mix Smooth							
65C / 9.4pt	18x12	<b>99195</b>	54	Sheet	250	1,000	32
80C / 11.6pt	18x12	<b>22736</b>	66.46	Sheet	250	500	32
<b>Terra Green™ FSC®</b>							
FSC Mix Smooth							
65C / 9.4pt	18x12	<b>99197</b>	54	Sheet	250	1,000	32
80C / 11.6pt	18x12	<b>45291</b>	66.46	Sheet	250	500	32

Key **FSC®** – FSC® Certified  – Renewable Electricity  – Green Seal Certified **PCF** – Processed Chlorine Free  
 – Minimum 30% Post Consumer **DC** – Duplex Cover **DTC** – Double Thick Cover **SP** – Skid Packed  
**WS** – Wet Strength **BR** – Vellum Bristol **IND** – Index \* – Unwatermarked



# classic crest® papers digital

Basis/ Caliper	Size	Item #	M wt	Product Type	Shts/ Pack	Shts/ Ctn	Ctns/ Pallet
<b>Antique Gray fsc®</b>							
FSC Mix Eggshell Digital							
80T / 7pt	12x18	<b>16147</b>	36.36	Sheet	250	1,000	32
100C / 12.5pt	18x12	<b>16151</b>	83.06	Sheet	125	500	32
100C / 16pt	19x13	<b>80977</b>	95	Sheet	250	500	30
<b>Antique Gray fsc®</b>							
FSC Mix Smooth Digital							
80T / 5.8pt	12x18	<b>45002</b>	36.36	Sheet	250	1,000	32
80C / 10.5pt	18x12	<b>80976</b>	66.46	Sheet	250	500	32
100C / 12.5pt	18x12	<b>45013</b>	83.06	Sheet	250	500	32
<b>Avalanche White (99+ Brightness) fsc®</b>							
FSC Mix Eggshell Digital							
80T / 7pt	12x18	<b>16156</b>	36.36	Sheet	250	1,000	32
100C / 12.5pt	18x12	<b>16161</b>	83.06	Sheet	125	500	32
100C / 16pt	19x13	<b>80969</b>	95	Sheet	250	500	30
<b>Avalanche White (99+ Brightness) fsc®</b>							
FSC Mix Smooth Digital							
24W / 4.8pt	18x12	<b>16307</b>	27.72	Sheet	500	1,500	32
80T / 5.8pt	12x18	<b>16132</b>	36.36	Sheet	250	1,000	32
100T / 7.2pt	12x18	<b>16308</b>	45.46	Sheet	250	1,000	32
80C / 10.5pt	18x12	<b>16309</b>	66.46	Sheet	250	500	32
100C / 12.5pt	18x12	<b>16133</b>	83.06	Sheet	125	500	32
130DTC / 16pt	18x12	<b>16310</b>	108	Sheet	125	500	32
<b>Avon Brilliant White (93 Brightness) fsc®</b>							
FSC Mix Eggshell Digital							
100C / 12.5pt	18x12	<b>16171</b>	83.06	Sheet	125	500	32
100C / 16pt	19x13	<b>80971</b>	95	Sheet	250	500	30
<b>Avon Brilliant White (93 Brightness) fsc®</b>							
FSC Mix Smooth Digital							
24W / 4.8pt	18x12	<b>16311</b>	27.72	Sheet	500	1,500	32
80T / 5.8pt	12x18	<b>16134</b>	36.36	Sheet	250	1,000	32
100T / 7.2pt	12x18	<b>16313</b>	45.46	Sheet	250	1,000	32
80C / 10.5pt	18x12	<b>16314</b>	66.46	Sheet	250	500	32
100C / 12.5pt	18x12	<b>16135</b>	83.06	Sheet	125	500	32
130DTC / 16pt	18x12	<b>16315</b>	108	Sheet	125	500	32

Key **FSC®** – FSC® Certified  – Renewable Electricity  – Green Seal Certified **PCF** – Processed Chlorine Free  
 – Minimum 30% Post Consumer **DC** – Duplex Cover **DTC** – Double Thick Cover **SP** – Skid Packed  
**WS** – Wet Strength **BR** – Vellum Bristol **IND** – Index \* – Unwatermarked



# classic crest® papers digital

Basis/ Caliper	Size	Item #	M wt	Product Type	Shts/ Pack	Shts/ Ctn	Ctns/ Pallet
<b>Bare White FSC®</b>							
FSC Mix Eggshell Digital							
100C / 16pt	18x12	<b>09358</b>	83.06	Sheet	125	500	32
100C / 16pt	19x13	<b>09359</b>	95	Sheet	125	500	30
<b>Bare White FSC®</b>							
FSC Mix Smooth Digital							
100C / 12.5pt	18x12	<b>09351</b>	83.06	Sheet	125	500	32
130DTC / 16pt	19x13	<b>09354</b>	123.5	Sheet	125	500	30
130DTC / 16pt	20.75x29.5	<b>88975</b>	306	Sheet		250	26
<b>Baronial Ivory fsc®</b>							
FSC Mix Smooth Digital							
80C / 10.5pt	18x12	<b>80974</b>	66.46	Sheet	250	500	32
<b>Classic Natural White FSC®</b>							
FSC Mix Eggshell Digital							
80T / 7pt	12x18	<b>16181</b>	36.36	Sheet	250	1,000	32
100C / 12.5pt	18x12	<b>16186</b>	83.06	Sheet	125	500	32
100C / 16pt	19x13	<b>80967</b>	95	Sheet	250	500	30
<b>Classic Natural White FSC®</b>							
FSC Mix Smooth Digital							
24W / 4.8pt	18x12	<b>14224</b>	27.72	Sheet	500	1,500	32
80T / 5.8pt	12x18	<b>14014</b>	36.36	Sheet	250	1,000	32
80T / 5.8pt	13x19	<b>14015</b>	41.6	Sheet	250	1,000	30
100T / 7.2pt	12x18	<b>14032</b>	45.46	Sheet	250	1,000	32
100T / 7.2pt	13x19	<b>14033</b>	52	Sheet	250	1,000	30
80C / 10.5pt	18x12	<b>14116</b>	66.46	Sheet	250	500	32
80C / 10.5pt	19x13	<b>14038</b>	76	Sheet	250	500	30
100C / 12.5pt	18x12	<b>14117</b>	83.06	Sheet	250	500	32
100C / 12.5pt	19x13	<b>14065</b>	95	Sheet	250	500	30
100C / 12.5pt	20.75x29.5	<b>98696N</b>	235	Sheet		250	30
110C / 14.5pt	18x12	<b>99203</b>	91.38	Sheet	125	500	32
110C / 14.5pt	19x13	<b>98973</b>	104.5	Sheet	125	500	30
130DTC / 16pt	18x12	<b>14230</b>	108	Sheet	125	500	32
130DTC / 16pt	19x13	<b>09355</b>	123.5	Sheet	125	500	30
130DTC / 16pt	20.75x29.5	<b>88974</b>	306	Sheet		250	26
<b>Cool Gray FSC®</b>							
FSC Mix Smooth Digital							
100C / 12.5pt	18x12	<b>09411</b>	83.06	Sheet	125	500	32
100C / 12.5pt	19x13	<b>09412</b>	95	Sheet	125	500	30

Key **FSC®** – FSC® Certified  – Renewable Electricity  – Green Seal Certified **PCF** – Processed Chlorine Free  
 – Minimum 30% Post Consumer **DC** – Duplex Cover **DTC** – Double Thick Cover **SP** – Skid Packed  
**WS** – Wet Strength **BR** – Vellum Bristol **IND** – Index \* – Unwatermarked





# classic crest® papers digital

Basis/ Caliper	Size	Item #	M wt	Product Type	Shts/ Pack	Shts/ Ctn	Ctns/ Pallet
<b>Epic Black</b>							
FSC Mix, 30% Minimum Post-Consumer Recycled Fibers Eggshell Digital							
100C / 16pt	18x12	<b>16191</b>	83.06	Sheet	125	500	32
<b>Epic Black</b>							
FSC Mix, 30% Minimum Post-Consumer Recycled Fibers Smooth Digital							
100C / 12.5pt	18x12	<b>45015</b>	83.06	Sheet	250	500	32
<b>Imperial Red</b>							
FSC Mix Smooth Digital							
100C / 12.5pt	19x13	<b>09429</b>	95	Sheet	125	500	30
<b>Patriot Blue</b>							
FSC Mix, 30% Minimum Post-Consumer Recycled Fibers Eggshell Digital							
100C / 16pt	18x12	<b>16196</b>	83.06	Sheet	125	500	32
<b>Patriot Blue</b>							
FSC Mix, 30% Minimum Post-Consumer Recycled Fibers Smooth Digital							
100C / 12.5pt	18x12	<b>16138</b>	83.06	Sheet	125	500	32
<b>Recycled 100 Bright White (95 Brightness)</b>							
FSC Recycled, 100% Post-Consumer Recycled Fibers Eggshell Digital							
100C / 16pt	18x12	<b>16206</b>	83.06	Sheet	125	500	32
100C / 16pt	19x13	<b>80965</b>	95	Sheet	250	500	30
<b>Recycled 100 Bright White (95 Brightness)</b>							
FSC Recycled, 100% Post-Consumer Recycled Fibers Smooth Digital							
80T / 5.8pt	12x18	<b>14018</b>	36.36	Sheet	250	1,000	32
80T / 5.8pt	13x19	<b>14019</b>	41.6	Sheet	250	1,000	30
80C / 10.5pt	18x12	<b>14041</b>	66.46	Sheet	250	500	32
80C / 10.5pt	19x13	<b>14042</b>	76	Sheet	250	500	30
100C / 12.5pt	18x12	<b>14067</b>	83.06	Sheet	250	500	32
100C / 12.5pt	19x13	<b>14068</b>	95	Sheet	250	500	30
100C / 12.5pt	20.75x29.5	<b>98697N</b>	235	Sheet		250	30
110C / 14.5pt	18x12	<b>98970</b>	91.38	Sheet	125	500	32
110C / 14.5pt	19x13	<b>98972</b>	104.5	Sheet	125	500	30
130DTC / 16pt	18x12	<b>14231</b>	108	Sheet	125	500	32
130DTC / 16pt	19x13	<b>09356</b>	123.5	Sheet	125	500	30
<b>Red Pepper</b>							
FSC Mix, 30% Minimum Post-Consumer Recycled Fibers Smooth Digital							
100C / 12.5pt	18x12	<b>16143</b>	83.06	Sheet	125	500	32

Key – FSC® Certified – Renewable Electricity – Green Seal Certified – Processed Chlorine Free  
 – Minimum 30% Post Consumer – Duplex Cover – Double Thick Cover – Skid Packed  
 – Wet Strength – Vellum Bristol – Index \* – Unwatermarked



# classic crest® papers digital

Basis/ Caliper	Size	Item #	M wt	Product Type	Shts/ Pack	Shts/ Ctn	Ctns/ Pallet
<b>Solar White (97 Brightness)FSC®</b>							
FSC Mix Eggshell Digital							
80T / 7pt	12x18	<b>16216</b>	36.36	Sheet	250	1,000	32
80T / 7pt	13x19	<b>10045</b>	41.6	Sheet	250	1,000	36
80T / 7pt	29.5x20.75	<b>10046</b>	103	Sheet		500	24
100T / 9pt	12x18	<b>99736</b>	45.46	Sheet	250	1,000	32
100T / 9pt	13x19	<b>99737</b>	52	Sheet	250	1,000	30
100T / 9pt	29.5x20.75	<b>10042</b>	129	Sheet		500	20
80C / 12.5pt	18x12	<b>99738</b>	66.46	Sheet	250	500	32
80C / 12.5pt	19x13	<b>99739</b>	76	Sheet	250	500	30
80C / 12.5pt	20.75x29.5	<b>10044</b>	188	Sheet		250	24
100C / 12.5pt	18x12	<b>16221</b>	83.06	Sheet	125	500	32
100C / 16pt	19x13	<b>80963</b>	95	Sheet	250	500	30
100C / 16pt	20.75x29.5	<b>16327</b>	235	Sheet		250	24
120C / 17.5pt	18x12	<b>98975</b>	99.68	Sheet	125	500	32
120C / 17.5pt	19x13	<b>98976</b>	114	Sheet	125	500	30
120C / 18pt	20.75x29.5	<b>10043</b>	283	Sheet		250	20
<b>Solar White (97 Brightness)FSC®</b>							
FSC Mix Smooth Digital							
24W / 4.8pt	17x11	<b>14227</b>	24	Sheet	500	1,500	32
24W / 4.8pt	18x12	<b>14228</b>	27.72	Sheet	500	1,500	32
80T / 5.8pt	12x18	<b>14112</b>	36.36	Sheet	250	1,000	32
80T / 5.8pt	13x19	<b>14016</b>	41.6	Sheet	250	1,000	30
80T / 5.8pt	29.5x20.75	<b>98974</b>	103	Sheet		500	20
100T / 7.2pt	12x18	<b>14113</b>	45.46	Sheet	250	1,000	32
100T / 7.2pt	13x19	<b>14034</b>	52	Sheet	250	1,000	30
100T / 7.2pt	29.5x20.75	<b>16328</b>	129	Sheet		500	24
80C / 10.5pt	18x12	<b>14114</b>	66.46	Sheet	250	500	32
80C / 10.5pt	19x13	<b>14039</b>	76	Sheet	250	500	30
80C / 10.5pt	20.75x29.5	<b>98693N</b>	188	Sheet		250	30
100C / 12.5pt	18x12	<b>14115</b>	83.06	Sheet	250	500	32
100C / 12.5pt	19x13	<b>14066</b>	95	Sheet	250	500	30
100C / 12.5pt	20.75x29.5	<b>98694N</b>	235	Sheet		250	30
110C / 14.5pt	18x12	<b>98969</b>	91.38	Sheet	125	500	32
110C / 14.5pt	19x13	<b>98971</b>	104.5	Sheet	125	500	30
110C / 14.5pt	20.75x29.5	<b>60714</b>	259	Sheet		250	24
130DTC / 16pt	18x12	<b>14232</b>	108	Sheet	125	500	32
130DTC / 16pt	19x13	<b>09357</b>	123.5	Sheet	125	500	30
130DTC / 16pt	20.75x29.5	<b>98695N</b>	306	Sheet		250	26

Key **FSC®** – FSC® Certified  – Renewable Electricity  – Green Seal Certified **PCF** – Processed Chlorine Free  
 – Minimum 30% Post Consumer **DC** – Duplex Cover **DTC** – Double Thick Cover **SP** – Skid Packed  
**WS** – Wet Strength **BR** – Vellum Bristol **IND** – Index \* – Unwatermarked



# classic<sup>®</sup> embellishment digital

Basis/ Caliper	Size	Item #	M wt	Product Type	Shts/ Pack	Shts/ Ctn	Ctns/ Pallet
-------------------	------	--------	------	-----------------	---------------	--------------	-----------------

## Solar White (97 Brightness) FSC<sup>®</sup>

FSC Mix  
Eggshell Digital

115C / 16pt	19x13	<b>10032</b>	109.24	Sheet	125	500	36
115C / 16pt	20.75x29.5	<b>10033</b>	271	Sheet		250	20
115C / 16pt	26x40	<b>10035</b>	460	Sheet		200	26

## Solar White (97 Brightness) FSC<sup>®</sup>

FSC Mix  
Smooth Digital

115C / 14.5pt	19x13	<b>10029</b>	109.24	Sheet	125	500	36
115C / 14.5pt	20.75x29.5	<b>10030</b>	271	Sheet		250	26
115C / 14.5pt	26x40	<b>10031</b>	460	Sheet		200	26
134DTC / 17pt	19x13	<b>10036</b>	127.3	Sheet	125	500	36
134DTC / 17pt	20.75x29.5	<b>10037</b>	315	Sheet		250	20
134DTC / 17pt	26x40	<b>10038</b>	536	Sheet		200	24

Key **FSC<sup>®</sup>** – FSC<sup>®</sup> Certified  – Renewable Electricity  – Green Seal Certified **PCF** – Processed Chlorine Free  
 – Minimum 30% Post Consumer **DC** – Duplex Cover **DTC** – Double Thick Cover **SP** – Skid Packed  
**WS** – Wet Strength **BR** – Vellum Bristol **IND** – Index \* – Unwatermarked









# classic<sup>®</sup> laid papers digital

Basis/ Caliper	Size	Item #	M wt	Product Type	Shts/ Pack	Shts/ Ctn	Ctns/ Pallet
<b>Antique Gray FSC<sup>®</sup></b>							
FSC Mix Laid Digital							
80C / 13.5pt	18x12	<b>45018</b>	66.46	Sheet	250	500	32
<b>Avalanche White (99+ Brightness) FSC<sup>®</sup></b>							
FSC Mix Laid Digital							
100DTC / 16pt	18x12	<b>16034</b>	83.06	Sheet	125	500	32
<b>Avon Brilliant White (93 Brightness) FSC<sup>®</sup></b>							
FSC Mix Laid Digital							
100DTC / 16pt	18x12	<b>16041</b>	83.06	Sheet	125	500	32
<b>Classic Natural White FSC<sup>®</sup></b>							
FSC Mix Laid Digital							
80C / 13.5pt	18x12	<b>45017</b>	66.46	Sheet	250	500	32
100DTC / 16pt	18x12	<b>16053</b>	83.06	Sheet	125	500	32
<b>Solar White (97 Brightness) FSC<sup>®</sup></b>							
FSC Mix Laid Digital							
80C / 13.5pt	18x12	<b>45054</b>	66.46	Sheet	250	500	32
100DTC / 16pt	18x12	<b>16077</b>	83.06	Sheet	125	500	32

Key **FSC<sup>®</sup>** – FSC<sup>®</sup> Certified  – Renewable Electricity  – Green Seal Certified **PCF** – Processed Chlorine Free  
 – Minimum 30% Post Consumer **DC** – Duplex Cover **DTC** – Double Thick Cover **SP** – Skid Packed  
**WS** – Wet Strength **BR** – Vellum Bristol **IND** – Index \* – Unwatermarked



# classic<sup>®</sup> linen papers digital

Basis/ Caliper	Size	Item #	M wt	Product Type	Shts/ Pack	Shts/ Ctn	Ctns/ Pallet
<b>Antique Gray FSC<sup>®</sup></b>							
FSC Mix Linen Digital							
80T / 5.6pt	12x18	<b>80981</b>	36.36	Sheet	250	1,000	32
80C / 10.8pt	18x12	<b>80982</b>	66.46	Sheet	250	500	32
100C / 13pt	18x12	<b>45016</b>	83.06	Sheet	250	500	32
<b>Avalanche White (99+ Brightness) FSC<sup>®</sup></b>							
FSC Mix Linen Digital							
80T / 5.6pt	12x18	<b>16011</b>	36.36	Sheet	250	1,000	32
100C / 13pt	18x12	<b>16012</b>	83.06	Sheet	125	500	32
<b>Avon Brilliant White (93 Brightness) FSC<sup>®</sup></b>							
FSC Mix Linen Digital							
80T / 5.6pt	12x18	<b>16013</b>	36.36	Sheet	250	1,000	32
100C / 13pt	18x12	<b>16014</b>	83.06	Sheet	125	500	32
<b>Baronial Ivory FSC<sup>®</sup></b>							
FSC Mix Linen Digital							
80T / 5.6pt	12x18	<b>80979</b>	36.36	Sheet	250	1,000	32
80C / 10.8pt	18x12	<b>80980</b>	66.46	Sheet	250	500	32
<b>Classic Natural White FSC<sup>®</sup></b>							
FSC Mix Linen Digital							
80T / 5.6pt	12x18	<b>01787</b>	36.36	Sheet	250	1,000	32
80T / 5.6pt	13x19	<b>01788</b>	41.6	Sheet	250	1,000	30
80C / 10.8pt	18x12	<b>01792</b>	66.46	Sheet	250	500	32
80C / 10.8pt	19x13	<b>01793</b>	76	Sheet	250	500	30
100C / 13pt	18x12	<b>01794</b>	83.06	Sheet	250	500	32
100C / 13pt	19x13	<b>01795</b>	95	Sheet	250	500	30
100C / 13pt	20.75x29.5	<b>88980</b>	235	Sheet		250	30
<b>Epic Black  FSC<sup>®</sup> </b>							
FSC Mix, 30% Minimum Post-Consumer Recycled Fibers Linen Digital							
100C / 13pt	18x12	<b>45028</b>	83.06	Sheet	250	500	32
<b>Patriot Blue  FSC<sup>®</sup> </b>							
FSC Mix, 30% Minimum Post-Consumer Recycled Fibers Linen Digital							
100C / 13pt	18x12	<b>45033</b>	83.06	Sheet	250	500	32
<b>Red Pepper  FSC<sup>®</sup> </b>							
FSC Mix, 30% Minimum Post-Consumer Recycled Fibers Linen Digital							
100C / 13pt	18x12	<b>45044</b>	83.06	Sheet	250	500	32

Key **FSC<sup>®</sup>** – FSC<sup>®</sup> Certified  – Renewable Electricity  – Green Seal Certified **PCF** – Processed Chlorine Free  
 – Minimum 30% Post Consumer **DC** – Duplex Cover **DTC** – Double Thick Cover **SP** – Skid Packed  
**WS** – Wet Strength **BR** – Vellum Bristol **IND** – Index \* – Unwatermarked



# classic<sup>®</sup> linen papers digital

Basis/ Caliper	Size	Item #	M wt	Product Type	Shts/ Pack	Shts/ Ctn	Ctns/ Pallet
<b>Solar White (97 Brightness) FSC<sup>®</sup></b>							
FSC Mix Linen Digital							
80T / 5.6pt	12x18	<b>01779</b>	36.36	Sheet	250	1,000	32
80T / 5.6pt	13x19	<b>01782</b>	41.6	Sheet	250	1,000	30
100T / 7.4pt	12x18	<b>01783</b>	45.46	Sheet	250	1,000	32
100T / 7.4pt	13x19	<b>01784</b>	52	Sheet	250	1,000	30
80C / 10.8pt	18x12	<b>01785</b>	66.46	Sheet	250	500	32
80C / 10.8pt	19x13	<b>01786</b>	76	Sheet	250	500	30
100C / 13pt	18x12	<b>01777</b>	83.06	Sheet	250	500	32
100C / 13pt	19x13	<b>01778</b>	95	Sheet	250	500	30
100C / 13pt	20.75x29.5	<b>98699N</b>	235	Sheet		250	30
<b>White Pearl fsc<sup>®</sup></b>							
FSC Mix Linen Digital							
80T / 5.6pt	12x18	<b>45053</b>	36.36	Sheet	250	1,000	32
115C / 15.6pt	18x12	<b>45049</b>	95.52	Sheet	250	500	32
115C / 15.6pt	19x13	<b>09399</b>	109.2	Sheet	125	500	30

Key **FSC<sup>®</sup>** – FSC<sup>®</sup> Certified  – Renewable Electricity  – Green Seal Certified **PCF** – Processed Chlorine Free  
 – Minimum 30% Post Consumer **DC** – Duplex Cover **DTC** – Double Thick Cover **SP** – Skid Packed  
**WS** – Wet Strength **BR** – Vellum Bristol **IND** – Index \* – Unwatermarked







# classic<sup>®</sup> production inkjet digital

Basis/ Caliper	Size	Item #	M wt	Product Type	Shts/ Pack	Shts/ Ctn	Ctns/ Pallet
<b>Classic Natural White</b> FSC <sup>®</sup>							
FSC Mix Smooth							
100C / 12.5pt	19x13	<b>67774</b>	95	Sheet	125	500	30
<b>Solar White (97 Brightness)</b> FSC <sup>®</sup>							
FSC Mix Linen							
80T / 5.6pt	13x19	<b>67771</b>	41.6	Sheet	250	1,000	30
100C / 13pt	19x13	<b>67772</b>	95	Sheet	125	500	30
100C / 13pt	20x12500	<b>67773</b>		Roll			
<b>Solar White (97 Brightness)</b> FSC <sup>®</sup>							
FSC Mix Smooth							
80T / 5.8pt	13x19	<b>67775</b>	41.6	Sheet	250	1,000	30
80T / 5.8pt	20x28000	<b>67776</b>		Roll			
100C / 12.5pt	19x13	<b>67777</b>	95	Sheet	125	500	30
100C / 12.5pt	20x13000	<b>67778</b>		Roll			
130DTC / 16pt	19x13	<b>67779</b>	123.5	Sheet	125	500	30
<b>Solar White (97 Brightness)</b> FSC <sup>®</sup>							
FSC Mix Techweave							
100C / 15pt	19x13	<b>67780</b>	95	Sheet	125	500	30
100C / 15pt	20x10800	<b>67781</b>		Roll			

Key FSC<sup>®</sup> – FSC<sup>®</sup> Certified  – Renewable Electricity  – Green Seal Certified PCF – Processed Chlorine Free  
 – Minimum 30% Post Consumer DC – Duplex Cover DTC – Double Thick Cover SP – Skid Packed  
 WS – Wet Strength BR – Vellum Bristol IND – Index \* – Unwatermarked



# classic<sup>®</sup> stipple papers digital

Basis/ Caliper	Size	Item #	M wt	Product Type	Shts/ Pack	Shts/ Ctn	Ctns/ Pallet
<b>Avalanche White (99+ Brightness) FSC<sup>®</sup></b>							
FSC Mix Stipple Digital							
80T / 5.8pt	12x18	<b>16233</b>	36.36	Sheet	250	1,000	32
100C / 13pt	18x12	<b>16238</b>	83.06	Sheet	125	500	32
100C / 13pt	19x13	<b>80970</b>	95	Sheet	250	500	30
<b>Avon Brilliant White (93 Brightness) FSC<sup>®</sup></b>							
FSC Mix Stipple Digital							
100C / 13pt	18x12	<b>16247</b>	83.06	Sheet	125	500	32
100C / 13pt	19x13	<b>80972</b>	95	Sheet	250	500	30
<b>Classic Natural White FSC<sup>®</sup></b>							
FSC Mix Stipple Digital							
80T / 5.8pt	12x18	<b>16257</b>	36.36	Sheet	250	1,000	32
100C / 13pt	18x12	<b>16262</b>	83.06	Sheet	125	500	32
100C / 13pt	19x13	<b>80968</b>	95	Sheet	250	500	30
<b>Epic Black</b>  <b>FSC<sup>®</sup></b> 							
FSC Mix, 30% Minimum Post-Consumer Recycled Fibers Stipple Digital							
100C / 13pt	18x12	<b>16267</b>	83.06	Sheet	125	500	32
<b>Patriot Blue</b>  <b>FSC<sup>®</sup></b> 							
FSC Mix, 30% Minimum Post-Consumer Recycled Fibers Stipple Digital							
100C / 13pt	18x12	<b>16271</b>	83.06	Sheet	125	500	32
<b>Solar White (97 Brightness) FSC<sup>®</sup></b>							
FSC Mix Stipple Digital							
80T / 5.8pt	12x18	<b>16293</b>	36.36	Sheet	250	1,000	32
100T / 7.5pt	12x18	<b>09362</b>	45.46	Sheet	250	1,000	32
100T / 7.5pt	13x19	<b>09363</b>	52	Sheet	250	1,000	30
80C / 10.8pt	18x12	<b>16325</b>	66.46	Sheet	250	500	32
80C / 10.8pt	19x13	<b>16326</b>	76	Sheet	250	500	30
100C / 13pt	18x12	<b>16298</b>	83.06	Sheet	125	500	32
100C / 13pt	19x13	<b>80964</b>	95	Sheet	250	500	30
100C / 13pt	20.75x29.5	<b>98698N</b>	235	Sheet		250	26
130DTC / 16pt	18x12	<b>09364</b>	108	Sheet	125	500	32
130DTC / 16pt	19x13	<b>09365</b>	123.5	Sheet	125	500	30

Key **FSC<sup>®</sup>** – FSC<sup>®</sup> Certified  – Renewable Electricity  – Green Seal Certified **PCF** – Processed Chlorine Free  
 – Minimum 30% Post Consumer **DC** – Duplex Cover **DTC** – Double Thick Cover **SP** – Skid Packed  
**WS** – Wet Strength **BR** – Vellum Bristol **IND** – Index \* – Unwatermarked







# classic<sup>®</sup> techweave papers digital

Basis/ Caliper	Size	Item #	M wt	Product Type	Shts/ Pack	Shts/ Ctn	Ctns/ Pallet
<b>Solar White (97 Brightness) FSC<sup>®</sup></b>							
FSC Mix							
Techweave Digital							
100T / 7.8pt	12x18	<b>09372</b>	45.46	Sheet	250	1,000	32
100T / 7.8pt	13x19	<b>09373</b>	52	Sheet	250	1,000	30
100C / 15pt	18x12	<b>09374</b>	83.06	Sheet	125	500	32
100C / 15pt	19x13	<b>09375</b>	95	Sheet	125	500	30
100C / 15pt	20.75x29.5	<b>88976</b>	235	Sheet		250	24
130DTC / 17.4pt	18x12	<b>09376</b>	108	Sheet	125	500	32
130DTC / 17.4pt	19x13	<b>09377</b>	123.5	Sheet	125	500	30

Key **FSC<sup>®</sup>** – FSC<sup>®</sup> Certified  – Renewable Electricity  – Green Seal Certified **PCF** – Processed Chlorine Free  
 – Minimum 30% Post Consumer **DC** – Duplex Cover **DTC** – Double Thick Cover **SP** – Skid Packed  
**WS** – Wet Strength **BR** – Vellum Bristol **IND** – Index \* – Unwatermarked



# conservation<sup>®</sup> papers digital

Basis/ Caliper	Size	Item #	M wt	Product Type	Shts/ Pack	Shts/ Ctn	Ctns/ Pallet
<b>White PC 100 (91 Brightness)</b>  FSC <sup>®</sup>  PCF							
FSC Recycled, 100% Post-Consumer Recycled Fibers							
Smooth Digital							
80T / 5.8pt	12x18	<b>18200</b>	36.36	Sheet	250	1,000	32
100T / 7.3pt	12x18	<b>18202</b>	45.46	Sheet	250	1,000	32
80C / 10.2pt	18x12	<b>18203</b>	66.46	Sheet	250	500	32
110C / 14.3pt	18x12	<b>18204N</b>	91.38	Sheet	125	500	32

Key **FSC<sup>®</sup>** – FSC<sup>®</sup> Certified  – Renewable Electricity  – Green Seal Certified **PCF** – Processed Chlorine Free  
 – Minimum 30% Post Consumer **DC** – Duplex Cover **DTC** – Double Thick Cover **SP** – Skid Packed  
**WS** – Wet Strength **BR** – Vellum Bristol **IND** – Index \* – Unwatermarked



# environment<sup>®</sup> papers digital

Basis/ Caliper	Size	Item #	M wt	Product Type	Shts/ Pack	Shts/ Ctn	Ctns/ Pallet
-------------------	------	--------	------	-----------------	---------------	--------------	-----------------

## Desert Storm FSC<sup>®</sup>

FSC Mix, 30% Minimum Post-Consumer Recycled Fibers

Smooth Digital

80T / 5.8pt	12x18	<b>45008</b>	36.36	Sheet	250	1,000	32
80T / 5.8pt	13x19	<b>45125</b>	41.6	Sheet	250	1,000	30
100C / 13pt	18x12	<b>45019</b>	83.06	Sheet	250	500	32
100C / 13pt	19x13	<b>45126</b>	95	Sheet	125	500	30
130DTC / 16pt	19x13	<b>09433</b>	123.5	Sheet	125	500	30

## Grocer Kraft FSC<sup>®</sup>

FSC Mix, 30% Minimum Post-Consumer Recycled Fibers

Raw<sup>®</sup> Digital

100C / 17.5pt	18x12	<b>45155</b>	83.06	Sheet	125	500	32
100C / 17.5pt	19x13	<b>45156</b>	95	Sheet	125	500	30
100C / 17.5pt	20.75x29.5	<b>05240</b>	235	Sheet		250	24

## PC 100 Natural FSC<sup>®</sup> PCF

FSC Recycled, 100% Post-Consumer Recycled Fibers

Smooth Digital

80T / 5.8pt	12x18	<b>45061</b>	36.36	Sheet	250	1,000	32
100C / 13pt	18x12	<b>45062</b>	83.06	Sheet	250	500	32

## PC 100 White (95 Brightness) FSC<sup>®</sup> PCF

FSC Recycled, 100% Post-Consumer Recycled Fibers

Smooth Digital

80T / 5.8pt	12x18	<b>05074</b>	36.36	Sheet	500	2,000	32
80T / 5.8pt	13x19	<b>05045</b>	41.6	Sheet	250	1,000	30
100T / 7.3pt	12x18	<b>05057</b>	45.46	Sheet	250	1,000	32
100T / 7.3pt	13x19	<b>05063</b>	52	Sheet	250	1,000	30
80C / 10.5pt	18x12	<b>05067</b>	66.46	Sheet	250	1,000	32
80C / 10.5pt	19x13	<b>05097</b>	76	Sheet	250	500	30
80C / 10.3pt	20.75x29.5	<b>10039</b>	188	Sheet		300	24
100C / 13pt	18x12	<b>05098</b>	83.06	Sheet	250	500	32
100C / 13pt	19x13	<b>05104</b>	95	Sheet	250	500	30
100C / 13pt	20.75x29.5	<b>60712</b>	235	Sheet		250	24

Key **FSC<sup>®</sup>** – FSC<sup>®</sup> Certified  – Renewable Electricity  – Green Seal Certified **PCF** – Processed Chlorine Free  
 – Minimum 30% Post Consumer **DC** – Duplex Cover **DTC** – Double Thick Cover **SP** – Skid Packed  
**WS** – Wet Strength **BR** – Vellum Bristol **IND** – Index \* – Unwatermarked



# estate label<sup>®</sup> pressure sensitive digital

Basis/ Caliper	Size	Item #	M wt	Product Type	Shts/ Pack	Shts/ Ctn	Ctns/ Pallet
<b>No. 4 - White (85 Brightness) FSC<sup>®</sup></b>							
FSC Mix Laid Digital							
60T / 10.2pt	12x18	<b>80989</b> <sup>WS</sup>	69.64	Sheet	100	500	32
<b>No. 8 - Bright White (89 Brightness) FSC<sup>®</sup></b>							
FSC Mix Vellum Digital							
60T / 9.7pt	12x18	<b>80988</b> <sup>WS</sup>	69.64	Sheet	100	500	32
<b>No. 9 - Cream FSC<sup>®</sup></b>							
FSC Mix Laid Digital							
60T / 10.2pt	12x18	<b>80990</b> <sup>WS</sup>	69.64	Sheet	100	500	32

Key **FSC<sup>®</sup>** – FSC<sup>®</sup> Certified  – Renewable Electricity  – Green Seal Certified **PCF** – Processed Chlorine Free  
 – Minimum 30% Post Consumer **DC** – Duplex Cover **DTC** – Double Thick Cover **SP** – Skid Packed  
**WS** – Wet Strength **BR** – Vellum Bristol **IND** – Index \* – Unwatermarked



# exact digital<sup>®</sup> color copy

Basis/ Caliper	Size	Item #	M wt	Product Type	Shts/ Pack	Shts/ Ctn	Ctns/ Pallet
<b>Hyper White (96 Brightness) FSC<sup>®</sup></b>							
FSC Mix							
Smooth							
28W / 4.4pt	8.5x11	<b>87941*</b>	14	Sheet	500	2,500	64
28W / 4.4pt	8.5x14	<b>87942*</b>	17.8	Sheet	500	2,500	48
28W / 4.4pt	17x11	<b>87946*</b>	28	Sheet	500	2,000	40
28W / 4.4pt	18x12	<b>87947*</b>	32.34	Sheet	500	2,000	32
32W / 4.8pt	8.5x11	<b>87951*</b>	16	Sheet	500	2,500	48
32W / 4.8pt	8.5x14	<b>87952*</b>	20.36	Sheet	500	2,500	36
32W / 4.8pt	17x11	<b>87956*</b>	32	Sheet	500	1,500	48
32W / 4.8pt	18x12	<b>87957*</b>	36.96	Sheet	500	1,500	40
80C / 9.4pt	8.5x11	<b>87961</b>	28.76	Sheet	250	1,250	64
80C / 9.4pt	17x11	<b>87966</b>	57.52	Sheet	250	1,000	40
80C / 9.4pt	18x12	<b>87968</b>	66.46	Sheet	250	1,000	32

Key **FSC<sup>®</sup>** – FSC<sup>®</sup> Certified  – Renewable Electricity  – Green Seal Certified **PCF** – Processed Chlorine Free  
 – Minimum 30% Post Consumer **DC** – Duplex Cover **DTC** – Double Thick Cover **SP** – Skid Packed  
**WS** – Wet Strength **BR** – Vellum Bristol **IND** – Index \* – Unwatermarked



# go-to digital™ digital

Basis/ Caliper	Size	Item #	M wt	Product Type	Shts/ Pack	Shts/ Ctn	Ctns/ Pallet
<b>Bright White (98 Brightness) FSC®</b>							
FSC Mix Super Smooth							
60T / 3.7pt	12x18	<b>10022</b>	27.28	Sheet	500	1,500	48
60T / 3.7pt	13x19	<b>10023</b>	31.2	Sheet	500	1,500	36
60T / 3.7pt	29.5x20.75	<b>10024</b>	77	Sheet		1,000	20
70T / 4.3pt	12x18	<b>10025</b>	31.82	Sheet	500	1,500	48
70T / 4.3pt	13x19	<b>10026</b>	36.4	Sheet	500	1,500	36
70T / 4.3pt	29.5x20.75	<b>10027</b>	90	Sheet		1,000	20
80T / 4.9pt	12x18	<b>10016</b>	36.36	Sheet	500	1,000	48
80T / 4.9pt	13x19	<b>10001</b>	41.6	Sheet	500	1,000	54
80T / 4.9pt	29.5x20.75	<b>10014</b>	103	Sheet		750	20
100T / 6pt	12x18	<b>10017</b>	45.46	Sheet	250	1,000	48
100T / 6pt	13x19	<b>10002</b>	52	Sheet	250	1,000	42
100T / 6pt	29.5x20.75	<b>10013</b>	129	Sheet		600	20
80C / 9.1pt	18x12	<b>10018</b>	66.46	Sheet	250	500	48
80C / 9.1pt	19x13	<b>10003</b>	76	Sheet	250	500	60
80C / 9.1pt	20.75x29.5	<b>10012</b>	188	Sheet		400	24
100C / 12.1pt	18x12	<b>10019</b>	83.06	Sheet	125	500	48
100C / 12.1pt	19x13	<b>10004</b>	95	Sheet	125	500	48
100C / 12.1pt	20.75x29.5	<b>10011</b>	235	Sheet		300	24
120C / 14.2pt	18x12	<b>10020</b>	99.68	Sheet	125	375	48
120C / 14.2pt	19x13	<b>10005</b>	114	Sheet	125	375	54
120C / 14.2pt	20.75x29.5	<b>10010</b>	283	Sheet		250	24
<b>Bright White (98 Brightness) FSC®</b>							
FSC Mix Vellum Digital							
100C / 15pt	18x12	<b>10021</b>	83.06	Sheet	125	500	48
100C / 15pt	19x13	<b>10006</b>	95	Sheet	125	500	42
100C / 15pt	20.75x29.5	<b>10015</b>	235	Sheet		250	24

Key **FSC®** – FSC® Certified  – Renewable Electricity  – Green Seal Certified **PCF** – Processed Chlorine Free  
 – Minimum 30% Post Consumer **DC** – Duplex Cover **DTC** – Double Thick Cover **SP** – Skid Packed  
**WS** – Wet Strength **BR** – Vellum Bristol **IND** – Index \* – Unwatermarked





# neenah® 100% cotton papers digital

Basis/ Caliper	Size	Item #	M wt	Product Type	Shts/ Pack	Shts/ Ctn	Ctns/ Pallet
<b>Fluorescent White (98 Brightness)</b>							
100% Cotton Letterpress Digital							
90C / 17.5pt	18x12	<b>15847</b>	74.76	Sheet	125	250	32
110C / 21.5pt	18x12	<b>15850</b>	91.38	Sheet	125	250	32
<b>Pearl White (87 Brightness)</b>							
100% Cotton Letterpress Digital							
110C / 21.5pt	18x12	<b>15882</b>	91.38	Sheet	125	250	32

Key **FSC®** – FSC® Certified  – Renewable Electricity  – Green Seal Certified **PCF** – Processed Chlorine Free  
 – Minimum 30% Post Consumer **DC** – Duplex Cover **DTC** – Double Thick Cover **SP** – Skid Packed  
**WS** – Wet Strength **BR** – Vellum Bristol **IND** – Index \* – Unwatermarked



# neenah<sup>®</sup> folding board digital

Basis/ Caliper	Size	Item #	M wt	Product Type	Shts/ Pack	Shts/ Ctn	Ctns/ Pallet
<b>100 PC White (92 Brightness)  FSC<sup>®</sup> PCF</b>							
FSC Recycled, 100% Post-Consumer Recycled Fibers Vellum Digital							
125C / 18pt	19x13	<b>99854</b>	118.74	Sheet	125	500	24
125C / 18pt	20.75x29.5	<b>88983</b>	294	Sheet		200	20
<b>Bright White (97 Brightness) FSC<sup>®</sup></b>							
FSC Mix Vellum Digital							
125C / 18pt	19x13	<b>99867</b>	118.74	Sheet	125	500	24
125C / 18pt	20.75x29.5	<b>88984</b>	294	Sheet		200	20
<b>Deep Black  FSC<sup>®</sup></b>							
FSC Mix, 30% Minimum Post-Consumer Recycled Fibers Vellum Digital							
125C / 18pt	19x13	<b>99893</b>	118.74	Sheet	125	500	24
125C / 18pt	20.75x29.5	<b>88985</b>	294	Sheet		200	20

Key **FSC<sup>®</sup>** – FSC<sup>®</sup> Certified  – Renewable Electricity  – Green Seal Certified **PCF** – Processed Chlorine Free  
 – Minimum 30% Post Consumer **DC** – Duplex Cover **DTC** – Double Thick Cover **SP** – Skid Packed  
**WS** – Wet Strength **BR** – Vellum Bristol **IND** – Index \* – Unwatermarked









# neenah<sup>®</sup> pearl papers digital

Basis/ Caliper	Size	Item #	M wt	Product Type	Shts/ Pack	Shts/ Ctn	Ctns/ Pallet
<b>Bright Gold FSC<sup>®</sup></b>							
FSC Mix Smooth Digital							
105C / 13.3pt	19x13	<b>80709</b>	99.74	Sheet	250	500	30
105C / 13.3pt	20.75x29.5	<b>80711</b>	247	Sheet		250	30
<b>Flaxen FSC<sup>®</sup></b>							
FSC Mix Smooth Digital							
105C / 13.3pt	19x13	<b>80724</b>	99.74	Sheet	250	500	30
<b>Ivory FSC<sup>®</sup></b>							
FSC Mix Smooth Digital							
80T / 5.8pt	13x19	<b>80720</b>	41.6	Sheet	250	1,000	30
105C / 13.3pt	19x13	<b>80715</b>	99.74	Sheet	250	500	30
105C / 13.3pt	20.75x29.5	<b>80717</b>	247	Sheet		250	30
<b>Poppy FSC<sup>®</sup></b>							
FSC Mix Smooth Digital							
105C / 13.3pt	19x13	<b>80731</b>	99.74	Sheet	250	500	30
<b>Pure Gold FSC<sup>®</sup></b>							
FSC Mix Smooth Digital							
105C / 13.3pt	19x13	<b>80703</b>	99.74	Sheet	250	500	30
<b>Sterling FSC<sup>®</sup></b>							
FSC Mix Smooth Digital							
105C / 13.3pt	19x13	<b>80734</b>	99.74	Sheet	250	500	30
105C / 13.3pt	20.75x29.5	<b>80736</b>	247	Sheet		250	30
<b>White FSC<sup>®</sup></b>							
FSC Mix Smooth Digital							
80T / 5.8pt	13x19	<b>80747</b>	41.6	Sheet	250	1,000	30
105C / 13.3pt	19x13	<b>80741</b>	99.74	Sheet	250	500	30
105C / 13.3pt	20.75x29.5	<b>80743</b>	247	Sheet		250	30

Key **FSC<sup>®</sup>** – FSC<sup>®</sup> Certified  – Renewable Electricity  – Green Seal Certified **PCF** – Processed Chlorine Free  
 – Minimum 30% Post Consumer **DC** – Duplex Cover **DTC** – Double Thick Cover **SP** – Skid Packed  
**WS** – Wet Strength **BR** – Vellum Bristol **IND** – Index \* – Unwatermarked







# royal sundance® papers felt digital

Basis/ Caliper	Size	Item #	M wt	Product Type	Shts/ Pack	Shts/ Ctn	Ctns/ Pallet
<b>100 PC White (91 Brightness)</b>  FSC®  PCF							
FSC Recycled, 100% Post-Consumer Recycled Fibers Felt Digital							
80C / 13.5pt	18x12	<b>04814</b>	66.46	Sheet	250	500	32
80C / 13.5pt	19x13	<b>04815</b>	76	Sheet	250	500	30
100C / 16.4pt	18x12	<b>04816</b>	83.06	Sheet	125	500	32
100C / 16.4pt	19x13	<b>04829</b>	95	Sheet	125	500	30
100C / 16.4pt	20.75x29.5	<b>98700N</b>	235	Sheet		250	24
<b>Brilliant White (98 Brightness)</b> FSC®							
FSC Mix Felt Digital							
80T / 7pt	12x18	<b>93341</b>	36.36	Sheet	250	1,000	32
80C / 13pt	18x12	<b>93311</b>	66.46	Sheet	250	500	32
100C / 16.4pt	18x12	<b>93313</b>	83.06	Sheet	125	500	32
100C / 16.4pt	19x13	<b>93314</b>	95	Sheet	125	500	30
<b>Ultra White (93 Brightness)</b>  FSC® 							
FSC Mix, 30% Minimum Post-Consumer Recycled Fibers Felt Digital							
80T / 7pt	12x18	<b>93343</b>	36.36	Sheet	250	1,000	32
80C / 13pt	18x12	<b>93315</b>	66.46	Sheet	250	500	32
100C / 16.4pt	18x12	<b>93317</b>	83.06	Sheet	125	500	32

Key **FSC®** – FSC® Certified  – Renewable Electricity  – Green Seal Certified **PCF** – Processed Chlorine Free  
 – Minimum 30% Post Consumer **DC** – Duplex Cover **DTC** – Double Thick Cover **SP** – Skid Packed  
**WS** – Wet Strength **BR** – Vellum Bristol **IND** – Index \* – Unwatermarked







# royal sundance® papers fiber digital

Basis/ Caliper	Size	Item #	M wt	Product Type	Shts/ Pack	Shts/ Ctn	Ctns/ Pallet
<b>Natural</b>  <b>FSC®</b> 							
FSC Mix, 30% Minimum Post-Consumer Recycled Fibers Fiber Digital							
80C / 10.8pt	19x13	<b>93324</b>	76	Sheet	250	500	30
<b>White</b>  <b>FSC®</b> 							
FSC Mix, 30% Minimum Post-Consumer Recycled Fibers Fiber Digital							
80C / 10.8pt	18x12	<b>93817</b>	66.46	Sheet	250	500	32
80C / 10.8pt	19x13	<b>93323</b>	76	Sheet	250	500	30

**Key** **FSC®** – FSC® Certified  – Renewable Electricity  – Green Seal Certified **PCF** – Processed Chlorine Free  
 – Minimum 30% Post Consumer **DC** – Duplex Cover **DTC** – Double Thick Cover **SP** – Skid Packed  
**WS** – Wet Strength **BR** – Vellum Bristol **IND** – Index \* – Unwatermarked



# royal sundance® papers linen digital

Basis/ Caliper	Size	Item #	M wt	Product Type	Shts/ Pack	Shts/ Ctn	Ctns/ Pallet
<b>Brilliant White (98 Brightness) FSC®</b>							
FSC Mix Linen Digital							
80T / 6.3pt	12x18	<b>93330</b>	36.36	Sheet	500	1,000	32
80C / 11.8pt	18x12	<b>93284</b>	66.46	Sheet	250	500	32
80C / 11.8pt	19x13	<b>93287</b>	76	Sheet	250	500	30
100C / 14.3pt	18x12	<b>93288</b>	83.06	Sheet	250	500	32
100C / 14.3pt	19x13	<b>93289</b>	95	Sheet	250	500	30
<b>Natural</b>  <b>FSC®</b> 							
FSC Mix, 30% Minimum Post-Consumer Recycled Fibers Linen Digital							
80C / 11.8pt	18x12	<b>75818</b>	66.46	Sheet	250	500	32
100C / 14.3pt	18x12	<b>93299</b>	83.06	Sheet	250	500	32
100C / 14.3pt	19x13	<b>93300</b>	95	Sheet	250	500	30
<b>Ultra White (93 Brightness)</b>  <b>FSC®</b> 							
FSC Mix, 30% Minimum Post-Consumer Recycled Fibers Linen Digital							
80C / 11.8pt	19x13	<b>93291</b>	76	Sheet	250	500	30

Key **FSC®** – FSC® Certified  – Renewable Electricity  – Green Seal Certified **PCF** – Processed Chlorine Free  
 – Minimum 30% Post Consumer **DC** – Duplex Cover **DTC** – Double Thick Cover **SP** – Skid Packed  
**WS** – Wet Strength **BR** – Vellum Bristol **IND** – Index \* – Unwatermarked

