

N exact[®] papers (Brights, Color Copy, Index, Tag, Vellum Bristol)

When you choose EXACT[®] Papers, you're choosing exactly the right paper at exactly the right price. Each sheet delivers excellent performance at an exceptional value.

Features

Benefits

EXACT BRIGHTS[®] Papers

Attention-getting colors	Bold colors that will brighten up your project at an exceptional value.
--------------------------	---

Manufactured acid free with achival properties	Permanence
--	------------

Laser & Ink Jet Guaranteed.	EXACT BRIGHTS Papers are guaranteed in laser, ink jet, color printer and high speed copier applications.
-----------------------------	--

EXACT DIGITAL[®] Color Copy

FSC [®] Certified	Meets the mark of responsible forestry.
----------------------------	---

Laser & Ink Jet Guaranteed.	EXACT DIGITAL Color Copy is guaranteed in laser, ink jet, color printer and high speed mcopier application.
-----------------------------	---

Manufactured acid free with archival properties.	Permanence
--	------------

EXACT[®] Index Papers

Pastel and neutral colors	Durable hard surface for exceptional ink holdout.
---------------------------	---

90lb Index meets 7pt. caliper return card postal regulations minimum for cards of not less than 3 1/2" x 5"	Choice of colors for your mailing needs.
---	--

FSC [®] Certified	Meets the mark of responsible forestry.
----------------------------	---

Manufactured acid free with archival properties.	Permanence
--	------------

Laser & Ink Jet Guaranteed.	EXACT Index Papers are guaranteed in laser, ink jet, color printer and high speed copier applications.
-----------------------------	--

EXACT[®] Tag Papers

2 colors - White and Manila	Smooth surface paper that offers high stiffness, tear strength and bulk.
-----------------------------	--

100lb Tag meets 7pt caliper return card postal regulations minimum for cards of not less than 3 1/2" x 5".	Good choice for return card needs.
--	------------------------------------

FSC [®] Certified	Meets the mark of responsible forestry.
----------------------------	---

Manufactured acid free with archival properties.	Permanence
--	------------

Laser & Ink Jet Guaranteed.	EXACT Tag Papers are guaranteed in laser, ink jet, color printer and high speed copier applications.
-----------------------------	--

EXACT[®] Vellum Bristol Papers

Pastel and neutral colors	A fast-drying high-yield paper ideal for medium to heavyweight applications.
---------------------------	--

N exact[®] papers (Brights, Color Copy, Index, Tag, Vellum Bristol)

67lb Bristol meets 7pt caliper return card postal regulations minimum for cards of not less than 3 1/2" x 5".

Range of colors for your mailing needs.

FSC[®] Certified

Meets the mark of responsible forestry.

Manufactured acid free with archival properties.

Permanence

Laser & Ink Jet Guaranteed.

EXACT Vellum Papers are guaranteed in laser, ink jet, color printer and high speed copier applications.

Key FSC[®] – FSC[®] Certified  – Renewable Electricity  – Green Seal Certified **PCF** – Processed Chlorine Free
 – Minimum 30% Post Consumer **DC** – Duplex Cover **DTC** – Double Thick Cover **SP** – Skid Packed
WS – Wet Strength **BR** – Vellum Bristol **IND** – Index * – Unwatermarked



N exact® papers (Brights, Color Copy, Index, Tag, Vellum Bristol)

Paper Specifications - EXACT BRIGHTS® Papers

Finish	Basis lbs.	Basis g/m ²	Opacity	Caliper	Smoothness
Smooth	50T	74	N/A	4.2	215

Paper Specifications - EXACT DIGITAL® Color Copy

Finish	Basis lbs.	Basis g/m ²	Opacity	Caliper	Smoothness
Smooth	28W	105	93	4.4	65
	32W	120	94	4.8	65
	80C	216	98	9.4	70

Paper Specifications - EXACT® Index Papers

Finish	Basis lbs.	Basis g/m ²	Opacity	Caliper	Smoothness
Smooth	90IND	163	97	7.4	125
	110IND	199	98	8.8	125
	140IND	253	99	11.6	125

Paper Specifications - EXACT® Tag Papers

Finish	Basis lbs.	Basis g/m ²	Opacity	Caliper	Smoothness
Smooth	100TAG	163	97	7.4	145
	125TAG	203	98	8.8	125
	150TAG	244	99	11.8	165

Paper Specifications - EXACT® Vellum Bristol Papers

Finish	Basis lbs.	Basis g/m ²	Opacity	Caliper	Smoothness
Vellum	67BR	147	95	8.2	310

- Opacity specifications are for whites and near whites.
- Caliper values are approximate as grades run to basis weight and finish.
- Smoothness is in Sheffield units.

Special Make Minimums

Standard Minimums

COLOR	BASIS WEIGHT (Standard Colors)	SIZE
15,000 lbs.	10,000 lbs.	5,000 lbs.

- * Special colors are subject to inquiry and mill acceptance.
- * Laminated sheets using standard basis weights and colors require 10,000 lbs total minimum with a \$30.00 per cwt upcharge.

exact brights® papers

Basis/ Caliper	Size	Item #	M wt	Product Type	Shts/ Pack	Shts/ Ctn	Ctns/ Pallet
Bright Blue							
Smooth							
50T / 4.2pt	8.5x11	26781	9.84	Sheet	500	5,000	40
Bright Green							
Smooth							
50T / 4.2pt	8.5x11	26791	9.84	Sheet	500	5,000	40
Bright Orange							
Smooth							
50T / 4.2pt	8.5x11	26721	9.84	Sheet	500	5,000	40
Bright Pink							
Smooth							
50T / 4.2pt	8.5x11	26741	9.84	Sheet	500	5,000	40
Bright Purple							
Smooth							
50T / 4.2pt	8.5x11	26771	9.84	Sheet	500	5,000	40
Bright Red							
Smooth							
50T / 4.2pt	8.5x11	26751	9.84	Sheet	500	5,000	40
Bright Yellow							
Smooth							
50T / 4.2pt	8.5x11	26701	9.84	Sheet	500	5,000	40

Key **FSC®** – FSC® Certified  – Renewable Electricity  – Green Seal Certified **PCF** – Processed Chlorine Free
 – Minimum 30% Post Consumer **DC** – Duplex Cover **DTC** – Double Thick Cover **SP** – Skid Packed
WS – Wet Strength **BR** – Vellum Bristol **IND** – Index * – Unwatermarked




exact digital[®] color copy

Basis/ Caliper	Size	Item #	M wt	Product Type	Shts/ Pack	Shts/ Ctn	Ctns/ Pallet
Hyper White (96 Brightness) FSC[®]							
FSC Mix							
Smooth							
28W / 4.4pt	8.5x11	87941*	14	Sheet	500	2,500	64
28W / 4.4pt	8.5x14	87942*	17.8	Sheet	500	2,500	48
28W / 4.4pt	17x11	87946*	28	Sheet	500	2,000	40
28W / 4.4pt	18x12	87947*	32.34	Sheet	500	2,000	32
32W / 4.8pt	8.5x11	87951*	16	Sheet	500	2,500	48
32W / 4.8pt	8.5x14	87952*	20.36	Sheet	500	2,500	36
32W / 4.8pt	17x11	87956*	32	Sheet	500	1,500	48
32W / 4.8pt	18x12	87957*	36.96	Sheet	500	1,500	40
80C / 9.4pt	8.5x11	87961	28.76	Sheet	250	1,250	64
80C / 9.4pt	17x11	87966	57.52	Sheet	250	1,000	40
80C / 9.4pt	18x12	87968	66.46	Sheet	250	1,000	32

Key **FSC[®]** – FSC[®] Certified  – Renewable Electricity  – Green Seal Certified **PCF** – Processed Chlorine Free
 – Minimum 30% Post Consumer **DC** – Duplex Cover **DTC** – Double Thick Cover **SP** – Skid Packed
WS – Wet Strength **BR** – Vellum Bristol **IND** – Index * – Unwatermarked




exact[®] index papers

Basis/ Caliper	Size	Item #	M wt	Product Type	Shts/ Pack	Shts/ Ctn	Ctns/ Pallet
Blue FSC[®]							
FSC Mix Smooth							
90IND / 7.4pt	8.5x11	49121	21.62	Sheet	250	2,000	56
90IND / 7.4pt	22.5x35	49124	182	Sheet		500	28
110IND / 8.8pt	8.5x11	49521	26.44	Sheet	250	2,000	48
110IND / 8.8pt	11x17	49523	52.88	Sheet	250	1,000	48
110IND / 8.8pt	22.5x35	49526	223	Sheet		500	24
Canary FSC[®]							
FSC Mix Smooth							
90IND / 7.4pt	8.5x11	49141	21.62	Sheet	250	2,000	56
90IND / 7.4pt	22.5x35	49144	182	Sheet		500	28
110IND / 8.8pt	8.5x11	49541	26.44	Sheet	250	2,000	48
110IND / 8.8pt	11x17	49543	52.88	Sheet	250	1,000	48
110IND / 8.8pt	22.5x35	49546	223	Sheet		500	24
Green FSC[®]							
FSC Mix Smooth							
90IND / 7.4pt	8.5x11	49161	21.62	Sheet	250	2,000	56
90IND / 7.4pt	22.5x35	49164	182	Sheet		500	28
110IND / 8.8pt	8.5x11	49561	26.44	Sheet	250	2,000	48
110IND / 8.8pt	11x17	49563	52.88	Sheet	250	1,000	48
110IND / 8.8pt	22.5x35	49566	223	Sheet		500	24
Ivory FSC[®]							
FSC Mix Smooth							
90IND / 7.4pt	8.5x11	49181	21.62	Sheet	250	2,000	56
90IND / 7.4pt	22.5x35	49184	182	Sheet		500	28
110IND / 8.8pt	8.5x11	49581	26.44	Sheet	250	2,000	48
110IND / 8.8pt	11x17	49583	52.88	Sheet	250	1,000	48
110IND / 8.8pt	22.5x35	49586	223	Sheet		500	24
White (93 Brightness)  FSC[®]							
FSC Mix, 30% Minimum Post-Consumer Recycled Fibers Smooth							
90IND / 7.4pt	8.5x11	40311	21.62	Sheet	250	2,000	56
90IND / 7.4pt	8.5x14	40313	27.54	Sheet	250	2,000	42
90IND / 7.4pt	9x11	40312	22.9	Sheet	250	2,000	48
90IND / 7.4pt	11x17	40314	43.26	Sheet	250	1,000	56
90IND / 7.4pt	22.5x35	40301^{SP}	182	Sheet		14,000	
90IND / 7.4pt	22.5x28.5	40303^{SP}	148	Sheet		14,000	
90IND / 7.4pt	22.5x28.5	40318	148	Sheet		500	28
90IND / 7.4pt	22.5x35	40319	182	Sheet		500	28
90IND / 7.4pt	24x36	40302^{SP}	200	Sheet		14,000	

Key **FSC[®]** – FSC[®] Certified  – Renewable Electricity  – Green Seal Certified **PCF** – Processed Chlorine Free
 – Minimum 30% Post Consumer **DC** – Duplex Cover **DTC** – Double Thick Cover **SP** – Skid Packed
WS – Wet Strength **BR** – Vellum Bristol **IND** – Index * – Unwatermarked




exact[®] index papers

Basis/ Caliper	Size	Item #	M wt	Product Type	Shts/ Pack	Shts/ Ctn	Ctns/ Pallet
White (93 Brightness)  FSC[®]							
FSC Mix, 30% Minimum Post-Consumer Recycled Fibers							
Smooth							
90IND / 7.4pt	24x36	40310	200	Sheet		500	26
90IND / 7.4pt	25.5x30.5	40317	180	Sheet		500	28
110IND / 8.8pt	8.5x11	40411	26.44	Sheet	250	2,000	48
110IND / 8.8pt	8.5x14	40413	33.66	Sheet	250	2,000	36
110IND / 8.8pt	9x11	40412	28	Sheet	250	2,000	48
110IND / 8.8pt	11x17	40414	52.88	Sheet	250	1,000	48
110IND / 8.8pt	17.5x22.5	40415	111	Sheet		1,000	22
110IND / 8.8pt	18x12	40407	61.08	Sheet	250	1,000	32
110IND / 8.8pt	22.5x28.5	40418	181	Sheet		500	22
110IND / 8.8pt	22.5x35	40419	223	Sheet		500	24
110IND / 8.8pt	24x36	40402^{SP}	244	Sheet		12,000	
110IND / 8.8pt	24x36	40410	244	Sheet		500	22
110IND / 8.8pt	25.5x30.5	40417	220	Sheet		500	24
140IND / 11.6pt	8.5x11	40801	33.66	Sheet	250	2,000	32
140IND / 11.6pt	22.5x35	40805	284	Sheet		500	18
140IND / 11.6pt	22.5x35	40805RC	284	Sheet		350	18
140IND / 11.6pt	24x36	40806	311	Sheet		500	18
140IND / 11.6pt	24x36	40806RC	311	Sheet		350	16

Key **FSC[®]** – FSC[®] Certified  – Renewable Electricity  – Green Seal Certified **PCF** – Processed Chlorine Free
 – Minimum 30% Post Consumer **DC** – Duplex Cover **DTC** – Double Thick Cover **SP** – Skid Packed
WS – Wet Strength **BR** – Vellum Bristol **IND** – Index * – Unwatermarked




exact[®] tag papers

Basis/ Caliper	Size	Item #	M wt	Product Type	Shts/ Pack	Shts/ Ctn	Ctns/ Pallet
Manila FSC[®]							
FSC Mix Smooth							
125TAG / 8.8pt	24x36	49952	250	Sheet		500	24
150TAG / 11.8pt	24x36	49962RC	300	Sheet		350	18
White (93 Brightness)  FSC[®]							
FSC Mix, 30% Minimum Post-Consumer Recycled Fibers Smooth							
100TAG / 7.4pt	24x36	40300^{SP}	200	Sheet		14,000	
150TAG / 11.8pt	24x36	40809RC	300	Sheet		350	18

Key **FSC[®]** – FSC[®] Certified  – Renewable Electricity  – Green Seal Certified **PCF** – Processed Chlorine Free
 – Minimum 30% Post Consumer **DC** – Duplex Cover **DTC** – Double Thick Cover **SP** – Skid Packed
WS – Wet Strength **BR** – Vellum Bristol **IND** – Index * – Unwatermarked



exact[®] vellum bristol papers

Basis/ Caliper	Size	Item #	M wt	Product Type	Shts/ Pack	Shts/ Ctn	Ctns/ Pallet
Blue FSC[®]							
FSC Mix Vellum							
67BR / 8.2pt	8.5x11	82321	19.52	Sheet	250	2,000	56
67BR / 8.2pt	11x17	82323	39.06	Sheet	250	1,000	48
67BR / 8.2pt	23x35	82325	168	Sheet		500	26
67BR / 8.2pt	26x40	82326	217	Sheet		500	24
Green FSC[®]							
FSC Mix Vellum							
67BR / 8.2pt	8.5x11	82351	19.52	Sheet	250	2,000	56
67BR / 8.2pt	11x17	82353	39.06	Sheet	250	1,000	48
67BR / 8.2pt	23x35	82355	168	Sheet		500	26
67BR / 8.2pt	26x40	82356	217	Sheet		500	24
Ivory FSC[®]							
FSC Mix Vellum							
67BR / 8.2pt	8.5x11	82361	19.52	Sheet	250	2,000	56
67BR / 8.2pt	8.5x14	82362	24.86	Sheet	250	2,000	36
67BR / 8.2pt	11x17	82363	39.06	Sheet	250	1,000	48
67BR / 8.2pt	23x35	82365	168	Sheet		500	26
67BR / 8.2pt	26x40	82366	217	Sheet		500	24
Pink FSC[®]							
FSC Mix Vellum							
67BR / 8.2pt	8.5x11	82441	19.52	Sheet	250	2,000	56
67BR / 8.2pt	23x35	82445	168	Sheet		500	26
White (93 Brightness)  FSC[®]							
FSC Mix, 30% Minimum Post-Consumer Recycled Fibers Vellum							
67BR / 8.2pt	8.5x11	80211	19.52	Sheet	250	2,000	48
67BR / 8.2pt	8.5x14	80212	24.86	Sheet	250	2,000	36
67BR / 8.2pt	11x17	80213	39.06	Sheet	250	1,000	48
67BR / 8.2pt	17.5"	80208		Roll			
67BR / 8.2pt	23x35	80201^{SP}	168	Sheet		12,000	
67BR / 8.2pt	23x35	80216	168	Sheet		500	26
67BR / 8.2pt	26x40	80217	217	Sheet		500	24
Yellow FSC[®]							
FSC Mix Vellum							
67BR / 8.2pt	8.5x11	82331	19.52	Sheet	250	2,000	56
67BR / 8.2pt	11x17	82333	39.06	Sheet	250	1,000	48
67BR / 8.2pt	23x35	82335	168	Sheet		500	26
67BR / 8.2pt	26x40	82336	217	Sheet		500	24

Key **FSC[®]** – FSC[®] Certified  – Renewable Electricity  – Green Seal Certified **PCF** – Processed Chlorine Free
 – Minimum 30% Post Consumer **DC** – Duplex Cover **DTC** – Double Thick Cover **SP** – Skid Packed
WS – Wet Strength **BR** – Vellum Bristol **IND** – Index * – Unwatermarked



exact[®] vellum bristol papers

Key **FSC[®]** – FSC[®] Certified  – Renewable Electricity  – Green Seal Certified **PCF** – Processed Chlorine Free
 – Minimum 30% Post Consumer **DC** – Duplex Cover **DTC** – Double Thick Cover **SP** – Skid Packed
WS – Wet Strength **BR** – Vellum Bristol **IND** – Index * – Unwatermarked

