

# **N**neenah<sup>®</sup> folding board

## **Features**

## **Benefits**

---

Beautiful papers manufactured specifically for folding carton applications.

Best in class print and converting performance, providing quality products that provide needed function for demanding converting processes.

---

Popular packaging colors available when you need them.

Trending folding board colors available quickly, and custom color capability on demand.

---

Stock calipers in 18pt and 24pt folding board.

Impressive stocking levels of most popular calipers with the capability to manufacture to custom requirements.

---

Decorate and convert with confidence.

Beautifully complete folding board projects with a variety of techniques including lithography, die cutting, foil stamping, embossing and debossing.

---

FSC<sup>®</sup> Certified

Entire offering is FSC<sup>®</sup> certified, meeting the mark of responsible forestry.

---

Entire offering is Green-e Certified.

Manufactured using 100% renewable energy.

# Neenah® folding board

## Paper Specifications - NEENAH® Folding Board

Finish	Basis lbs.	Basis g/m <sup>2</sup>	Opacity	Caliper	Smoothness
Eggshell	120C	324	99	18	330
	160C	433	99	24	330
Matte Double	132C	357	99	18	N/A
	185C	500	99	24	N/A
Matte Single	130C	352	99	18	N/A
Pearlized Single	128C	346	99	18	N/A
Raw®	105C	284	99	18	N/A
	150C	405	99	24	N/A
Soft Touch Single	145C	392	99	18	N/A
	195C	527	99	24	N/A
Vellum	125C	338	99	18	240
	180C	487	99	24	210
	180C	465	99	24	210
Vellum Digital	125C	338	99	18	240
	180C	487	99	24	210

- Opacity specifications are for whites and near whites.
- Smoothness is in Sheffield units.

## Special Make Minimums

### Standard Minimums

COLOR	CALIPER	EMBOSSING	STANDARD COATING	FURNISH	SIZE
15,000 lbs.	10,000 lbs.	5,000 lbs.	5,000 lbs.	15,000 lbs.	5,000 lbs.

- \* Special colors are subject to inquiry and mill acceptance.
- \* Laminated sheets using standard basis weights and colors require 10,000 lbs total minimum with a \$30.00 per cwt upcharge.  
If special base stock is required for NEENAH Folding Board, there will be a 15,000 lbs. minimum for special colors. Contact your Neenah Customer Service Representative for assistance.
- \* Neenah Folding Board may be subject to mill capabilities; consult your Neenah Customer Service Representative for assistance.















# neenah® folding board

Basis/ Caliper	Size	Item #	M wt	Product Type	Shts/ Pack	Shts/ Ctn	Ctns/ Pallet
<b>100 PC White (92 Brightness) FSC® PCF</b>							
FSC Recycled, 100% Post-Consumer Recycled Fibers Eggshell							
120C / 18pt	28x40	99845 <sup>SP</sup>	517	Sheet		2,000	
120C / 18pt	28x40	99853	517	Sheet		200	12
160C / 24pt	28x40	65157	689	Sheet		150	10
<b>100 PC White (92 Brightness) FSC® PCF</b>							
FSC Recycled, 100% Post-Consumer Recycled Fibers Matte Double							
132C / 18pt	28x40	65161	569	Sheet		200	12
132C / 18pt	28x40	65178 <sup>SP</sup>	569	Sheet		2,000	
185C / 24pt	28x40	65163	797	Sheet		150	10
<b>100 PC White (92 Brightness) FSC® PCF</b>							
FSC Recycled, 100% Post-Consumer Recycled Fibers Matte Single							
130C / 18pt	28x40	65166	560	Sheet		200	12
<b>100 PC White (92 Brightness) FSC® PCF</b>							
FSC Recycled, 100% Post-Consumer Recycled Fibers Soft Touch Single							
145C / 18pt	28x40	65164	625	Sheet		200	12
195C / 24pt	28x40	65165	840	Sheet		150	10
<b>100 PC White (92 Brightness) FSC® PCF</b>							
FSC Recycled, 100% Post-Consumer Recycled Fibers Vellum							
125C / 18pt	28x40	65100	538	Sheet		200	12
125C / 18pt	28x40	65101RC <sup>SP</sup>	538	Sheet		2,000	
180C / 24pt	28x40	65180 <sup>SP</sup>	775	Sheet		2,000	
180C / 24pt	28x40	65181	775	Sheet		150	10
<b>100 PC White (92 Brightness) FSC® PCF</b>							
FSC Recycled, 100% Post-Consumer Recycled Fibers Vellum Digital							
125C / 18pt	19x13	99854	118.74	Sheet	125	500	24
125C / 18pt	20.75x29.5	88983	294	Sheet		200	20
180C / 24pt	20.75x29.5	65182	424	Sheet		200	24
<b>Bright White (97 Brightness) FSC®</b>							
FSC Mix Eggshell							
120C / 18pt	28x40	99861	517	Sheet		200	12
160C / 24pt	28x40	99862	689	Sheet		150	10
<b>Bright White (97 Brightness) FSC®</b>							
FSC Mix Vellum							
125C / 18pt	28x40	98962	538	Sheet		200	12
125C / 18pt	28x40	98963RC <sup>SP</sup>	538	Sheet		2,000	

Key FSC® – FSC® Certified – Renewable Electricity – Green Seal Certified PCF – Processed Chlorine Free  
 – Minimum 30% Post Consumer DC – Duplex Cover DTC – Double Thick Cover SP – Skid Packed  
 WS – Wet Strength BR – Vellum Bristol IND – Index \* – Unwatermarked






























# neenah® folding board

Basis/ Caliper	Size	Item #	M wt	Product Type	Shts/ Pack	Shts/ Ctn	Ctns/ Pallet
<b>Bright White (97 Brightness) FSC®</b> 							
FSC Mix Vellum							
180C / 24pt	28x40	<b>65153</b>	775	Sheet		150	10
180C / 24pt	28x40	<b>65183<sup>SP</sup></b>	775	Sheet		2,000	
<b>Bright White (97 Brightness) FSC®</b> 							
FSC Mix Vellum Digital							
125C / 18pt	19x13	<b>99867</b>	118.74	Sheet	125	500	24
125C / 18pt	20.75x29.5	<b>88984</b>	294	Sheet		200	20
180C / 24pt	20.75x29.5	<b>65184</b>	424	Sheet		200	24
<b>Concrete</b>  <b>FSC®</b> 							
FSC Mix, 30% Minimum Post-Consumer Recycled Fibers Raw®							
105C / 18pt	28x40	<b>99869</b>	452	Sheet		200	12
150C / 24pt	28x40	<b>65154</b>	646	Sheet		150	10
<b>Deep Black</b>  <b>FSC®</b> 							
FSC Mix, 30% Minimum Post-Consumer Recycled Fibers Eggshell							
120C / 18pt	28x40	<b>99892</b>	517	Sheet		200	12
160C / 24pt	28x40	<b>65177</b>	689	Sheet		150	10
<b>Deep Black</b>  <b>FSC®</b> 							
FSC Mix, 30% Minimum Post-Consumer Recycled Fibers Matte Double							
132C / 18pt	28x40	<b>65167</b>	569	Sheet		200	12
132C / 18pt	28x40	<b>65168<sup>SP</sup></b>	569	Sheet		2,000	
185C / 24pt	28x40	<b>65169</b>	797	Sheet		150	10
<b>Deep Black</b>  <b>FSC®</b> 							
FSC Mix, 30% Minimum Post-Consumer Recycled Fibers Soft Touch Single							
145C / 18pt	28x40	<b>65170</b>	625	Sheet		200	12
195C / 24pt	28x40	<b>65171</b>	840	Sheet		150	10
<b>Deep Black</b>  <b>FSC®</b> 							
FSC Mix, 30% Minimum Post-Consumer Recycled Fibers Vellum							
125C / 18pt	28x40	<b>99212</b>	538	Sheet		200	12
125C / 18pt	28x40	<b>99213RC<sup>SP</sup></b>	538	Sheet		2,000	
180C / 24pt	28x40	<b>65185<sup>SP</sup></b>	775	Sheet		2,000	
180C / 24pt	28x40	<b>65186</b>	775	Sheet		150	10
<b>Deep Black</b>  <b>FSC®</b> 							
FSC Mix, 30% Minimum Post-Consumer Recycled Fibers Vellum Digital							
125C / 18pt	19x13	<b>99893</b>	118.74	Sheet	125	500	24
125C / 18pt	20.75x29.5	<b>88985</b>	294	Sheet		200	20
180C / 24pt	20.75x29.5	<b>65187</b>	424	Sheet		200	18

Key **FSC®** – FSC® Certified  – Renewable Electricity  – Green Seal Certified **PCF** – Processed Chlorine Free  
 – Minimum 30% Post Consumer **DC** – Duplex Cover **DTC** – Double Thick Cover **SP** – Skid Packed  
**WS** – Wet Strength **BR** – Vellum Bristol **IND** – Index \* – Unwatermarked





# neenah® folding board

Basis/ Caliper	Size	Item #	M wt	Product Type	Shts/ Pack	Shts/ Ctn	Ctns/ Pallet
<b>Deep Black Hemp</b>   							
FSC Mix, 30% Minimum Post-Consumer Recycled Fibers Vellum							
125C / 18pt	28x40	<b>65175</b>	538	Sheet		200	12
<b>Desert Storm</b>   							
FSC Mix, 30% Minimum Post-Consumer Recycled Fibers Vellum							
125C / 18pt	28x40	<b>99868</b>	538	Sheet		200	12
180C / 24pt	28x40	<b>65160</b>	775	Sheet		150	10
<b>Desert Storm Hemp</b>   							
FSC Mix, 30% Minimum Post-Consumer Recycled Fibers Vellum							
125C / 18pt	28x40	<b>65176</b>	538	Sheet		200	12
<b>Grocer Kraft</b>   							
FSC Mix, 30% Minimum Post-Consumer Recycled Fibers Raw®							
105C / 18pt	28x40	<b>99872</b>	452	Sheet		200	12
150C / 24pt	28x40	<b>65155</b>	646	Sheet		150	10
<b>Industrial Black</b>   							
FSC Mix, 30% Minimum Post-Consumer Recycled Fibers Vellum							
125C / 18pt	28x40	<b>65172</b>	538	Sheet		200	12
180C / 24pt	28x40	<b>65173</b>	775	Sheet		150	10
<b>Kraft</b>   							
FSC Mix, 30% Minimum Post-Consumer Recycled Fibers Vellum							
125C / 18pt	28x40	<b>98966</b>	538	Sheet		200	12
180C / 24pt	28x40	<b>65188</b>	775	Sheet		150	10
<b>Natural Pearl</b>   							
FSC Mix, 30% Minimum Post-Consumer Recycled Fibers Pearlized Single							
128C / 18pt	28x40	<b>89792</b>	551	Sheet		150	12
<b>Natural White</b>   							
FSC Mix, 30% Minimum Post-Consumer Recycled Fibers Vellum							
125C / 18pt	28x40	<b>99848</b>	538	Sheet		200	12
180C / 24pt	28x40	<b>65158</b>	775	Sheet		150	1
<b>PC White Hemp</b>   							
FSC Mix, 80% Minimum Post-Consumer Recycled Fibers Vellum							
125C / 18pt	28x40	<b>65174</b>	538	Sheet		200	12

Key **FSC®** – FSC® Certified  – Renewable Electricity  – Green Seal Certified **PCF** – Processed Chlorine Free  
 – Minimum 30% Post Consumer **DC** – Duplex Cover **DTC** – Double Thick Cover **SP** – Skid Packed  
**WS** – Wet Strength **BR** – Vellum Bristol **IND** – Index \* – Unwatermarked



# neenah® folding board

Basis/ Caliper	Size	Item #	M wt	Product Type	Shts/ Pack	Shts/ Ctn	Ctns/ Pallet
<b>Wrought Iron</b>  <b>FSC®</b> 							
FSC Mix, 30% Minimum Post-Consumer Recycled Fibers Raw®							
105C / 18pt	28x40	<b>99889</b>	452	Sheet		200	12
105C / 18pt	28x40	<b>99890<sup>SP</sup></b>	452	Sheet		2,000	
150C / 24pt	28x40	<b>65156</b>	646	Sheet		150	10

**Key** **FSC®** – FSC® Certified  – Renewable Electricity  – Green Seal Certified **PCF** – Processed Chlorine Free  
 – Minimum 30% Post Consumer **DC** – Duplex Cover **DTC** – Double Thick Cover **SP** – Skid Packed  
**WS** – Wet Strength **BR** – Vellum Bristol **IND** – Index \* – Unwatermarked

