

Nuv/ultra® II translucent papers

UV/ULTRA® II Translucent Papers can be found in The Design Collection which features iconic North American and stylish Italian lines - bringing you the best of both worlds.

Features	Benefits
Off-machine transparentizing process	Assured of excellent printability, press registration and sheet stability against curl
Excellent formation and incredible transparency	Limitless graphic opportunities, superior show through
Available in four basis weights	A wide range of basis weights to fit your every need
The whitest and brightest translucent available	Brings a level of quality and class to every project
Available in three beautiful finishes/colors: Radiant White, White, Oxford	Perfect for the subtle enhancement or an even more dramatic touch
Guaranteed for laser printing	The perfect translucent for desk top publishing

N clearfold® papers

CLEARFOLD® Papers can be found in The Design Collection which features iconic North American and stylish Italian lines - bringing you the best of both worlds.

Features	Benefits
On-machine transparentizing process	Assured of excellent foldability and good offset printing
Excellent formation and incredible transparency	The perfect addition to any design for an added level of mystique and quality
Available in White and in 4 basis weights including 30 lb – the preferred weight for translucent envelope conversion	A wide range of basis weights to fit your every need
FSC® Certified	Meets the mark of responsible forestry
Manufactured acid free with archival properties	Perfect for scrap booking or when you need to know your project will last for years to come
Manufactured ECF (Elemental Chlorine Free) and is recyclable	Addresses your environmental concerns
Matching envelopes starting at simply 1 box	An impressive range of 33 styles in 30 lb. writing weight complete any communication package

Nuv/ultra® II translucent papers

Paper Specifications

Finish	Basis lbs.	Basis g/m ²	Opacity	Caliper	Smoothness
Smooth	17W	64	39	2.6	160
	28W	105	51	4.4	160
	36W	135	59	5.5	160

- Opacity specifications are for whites and near whites
- Caliper values are approximate as grades run to basis weight and finish
- Smoothness is in Sheffield units

Special Make Minimums

Standard Minimums

BRAND	COLOR	BASIS WEIGHT (Standard Colors)	SIZE
UV/ULTRA® II	*	*	5,000 lbs.

* Special colors and basis weights are subject to inquiry.

* Laminated sheets using standard basis weights and colors require 5,000 lbs total minimum with a \$20.00 per cwt upcharge.

N clearfold® papers

Paper Specifications

Finish	Basis lbs.	Basis g/m ²	Opacity	Caliper	Smoothness
Smooth	24W	90	27	3.1	200
	30W	113	28	3.7	200
	36W	135	29	4.1	200
	48W	180	31	6.0	200

- Opacity specifications are for whites and near whites
- Caliper values are approximate as grades run to basis weight and finish
- Smoothness is in Sheffield units

Special Make Minimums

Standard Minimums

BRAND	COLOR	BASIS WEIGHT (Standard Colors)	SIZE
CLEARFOLD®	10,000 lbs.	5,000 lbs.	2,000 lbs.

* Special colors and basis weights are subject to inquiry.

* Laminated sheets using standard basis weights and colors require 5,000 lbs total minimum with a \$20.00 per cwt upcharge.

Nuv/ultra® II papers

uv/ultra® II papers

Finish	Basis	Size	Item #	M wt	Product Type	Shts/ Ctn	Ctns/ Pallet
Oxford							
Smooth	17W	25x38	02525*	86	Sheet	1,500	18
	28W	25x38	02526*	142	Sheet	750	20
Radiant White (85 Brightness)							
Smooth	17W	23x35	02521*	73	Sheet	1,500	22
	17W	25x38	02548*	86	Sheet	1,500	18
	28W	23x35	02585*	121	Sheet	750	20
	28W	25x38	02586*	142	Sheet	750	20
	36W	8.5x11	02524*	18	Sheet	2,500	32
	36W	23x35	02522*	155	Sheet	750	20
	36W	25x38	02523*	183	Sheet	500	18
White (78 Brightness)							
Smooth	17W	17.5x22.5	01243*	36	Sheet	3,000	22
	17W	23x35	01256*	73	Sheet	1,500	22
	17W	25x38	01254*	86	Sheet	1,500	18
	28W	23x35	01264*	121	Sheet	750	20
	28W	25x38	01265*	142	Sheet	750	20
	36W	8.5x11	01566*	18	Sheet	2,500	32
	36W	23x35	01507*	155	Sheet	750	20
	36W	25x38	01508*	183	Sheet	500	18
	36W	26x40	01509*	200	Sheet	500	18

Key FSC®-FSC® Certified ♻️-Renewable Electricity 🌱-Green Seal Certified PCF - Processed Chlorine Free
 ⊕-Minimum 30% Post Consumer DC-Duplex Cover DTC-Double Thick Cover SP-Skid Packed
 WS-Wet Strength BR-Vellum Bristol IND-Index *Unwatermarked



N clearfold® papers

Finish	Basis	Size	Item #	M wt	Product Type	Shts/ Ctn	Ctns/ Pallet
White FSC®							
FSC Mix							
Translucent	24W	23x35	00604*	103	Sheet	1,000	20
	24W	25x38	00606*	122	Sheet	1,000	16
	30W	23x35	00614*	129	Sheet	750	20
	30W	25x38	00616*	152	Sheet	750	16
	30W	25x38	00617*^{SP}	152	Sheet	13,500	0
	36W	25x38	00626*	183	Sheet	750	18
	48W	25x38	00630*	244	Sheet	500	16

Key FSC®-FSC® Certified -Renewable Electricity -Green Seal Certified **PCF** - Processed Chlorine Free
-Minimum 30% Post Consumer **DC**-Duplex Cover **DTC**-Double Thick Cover **SP**-Skid Packed
WS-Wet Strength **BR**-Vellum Bristol **IND**-Index *****-Unwatermarked



N clearfold® envelopes

Finish	Basis	Product Type	Item #	Env/ Box	Env/ Ctn
White FSC®					
FSC Mix					
Translucent	30W	#10 Commercial	6061400	500	2,500
	30W	#10 Square	9043800	500	2,500
	30W	#10 peel and seal	7031200	500	2,500
	30W	#10 Poly Window	7052000	500	2,500
	30W	#10 Commercial Canadian Window	8003858	500	2,500
	30W	#10 Policy	7077400	500	2,500
	30W	#6 3/4	7000000	500	2,500
	30W	#9 Commercial	7000900	500	2,500
	30W	DL International	8003853	150	600
	30W	Monarch	7000200	500	2,500
	30W	A1	7102600	250	2,500
	30W	A2	0558100	250	1,000
	30W	A6	6225700	250	1,000
	30W	A7	1056600	250	1,000
	30W	A8	9368700	250	1,000
	30W	A9	7287400	250	1,000
	30W	A10	9989700	250	1,000
	30W	4 Baronial	8003854	250	2,500
	30W	5 1/2 Baronial	8003855	250	2,500
	30W	6 Baronial	8003856	250	2,500
	30W	Lee	8003857	250	2,500
	30W	5 x 5	8003859	250	1,000
	30W	5 1/2 x 5 1/2	7784500	250	1,000
	30W	6 x 6	7784600	250	1,000
	30W	6 1/2 x 6 1/2	7780100	250	1,000
	30W	7 x 7	7784700	250	1,000
	30W	7 1/2 x 7 1/2	7777100	250	1,000
	30W	8 x 8	8003860	250	1,000
	30W	8 1/2 x 8 1/2	7783700	250	1,000
	30W	9 x 12 Booklet	5458300	500	500
	30W	9 x 12 Catalog	7637200	500	500
	30W	10 x 13 Booklet	7671600	500	500
	30W	10 x 13 Catalog	7731800	500	500