

N touché® papers

TOUCHÉ® Papers can be found in The Design Collection which features iconic Neenah brands.

Features

Benefits

Unique soft, matte finish.

Offers understated elegance and sophistication.

Beautiful Colors

From Bright White to Black with a rich color palette in between, there is a color for all your communication needs.

Two weights to choose from

13 pt. (111C/300 g/m2) for most every application & 24pt. (200C/541 g/m2) when a stiffer sheet is desired.

Accepts offset lithography and specialty printing applications beautifully.

Rest assured your every print application will perform flawlessly.

FSC® Certified

Meets the mark of responsible forestry.

N touché® papers

Paper Specifications - TOUCHÉ® Papers

| Finish | Basis lbs. | Basis g/m ² | Opacity | Caliper | Smoothness |
|------------|---------------|---------------------------|---------|---------|------------|
| Soft Touch | 111C | 300 | 98 | 13 | N/A |
| | 200C | 541 | 99 | 24 | N/A |

- Opacity specifications are for whites and near whites.
- Caliper values are approximate as grades run to basis weight and finish.
- Smoothness is in Sheffield units.

Special Make Minimums

Standard Minimums

| COLOR | BASIS WEIGHT (Standard Colors) | SIZE |
|-------------|-----------------------------------|------------|
| 15,000 lbs. | 20,000 lbs. | 5,000 lbs. |

- * Special colors are subject to inquiry and mill acceptance.
- * Laminated sheets using standard basis weights and colors require 5,000 lbs total minimum with a \$20.00 per cwt upcharge.
- * If special base stock is required, there will be a 20,000 lbs. minimum for special colors. Contact your Neenah Customer Service Representative for assistance.

touché® papers

| Basis/ Caliper | Size | Item # | M wt | Product Type | Shts/ Pack | Shts/ Ctn | Ctns/ Pallet |
|---|-------|----------------|------|-----------------|---------------|--------------|-----------------|
| Black FSC® | | | | | | | |
| FSC Mix Soft Touch | | | | | | | |
| 111C / 13pt | 26x40 | 3304940 | 444 | Sheet | | 200 | 24 |
| 200C / 24pt | 26x40 | 3305010 | 800 | Sheet | | 100 | 12 |
| Bright White (91 Brightness)FSC® | | | | | | | |
| FSC Mix Soft Touch | | | | | | | |
| 111C / 13pt | 26x40 | 3304027 | 444 | Sheet | | 200 | 24 |
| Burgundy FSC® | | | | | | | |
| FSC Mix Soft Touch | | | | | | | |
| 111C / 13pt | 26x40 | 3304540 | 444 | Sheet | | 200 | 24 |
| Concord FSC® | | | | | | | |
| FSC Mix Soft Touch | | | | | | | |
| 111C / 13pt | 26x40 | 3300151 | 444 | Sheet | | 200 | 24 |
| Lapis fsc® | | | | | | | |
| FSC Mix Soft Touch | | | | | | | |
| 111C / 13pt | 26x40 | 3301240 | 444 | Sheet | | 200 | 24 |
| Mink fsc® | | | | | | | |
| FSC Mix Soft Touch | | | | | | | |
| 111C / 13pt | 26x40 | 3302140 | 444 | Sheet | | 200 | 24 |
| Pewter fsc® | | | | | | | |
| FSC Mix Soft Touch | | | | | | | |
| 111C / 13pt | 26x40 | 3301940 | 444 | Sheet | | 200 | 24 |
| Scarlet fsc® | | | | | | | |
| FSC Mix Soft Touch | | | | | | | |
| 111C / 13pt | 26x40 | 3301740 | 444 | Sheet | | 200 | 24 |
| Slate Blue fsc® | | | | | | | |
| FSC Mix Soft Touch | | | | | | | |
| 111C / 13pt | 26x40 | 3304140 | 444 | Sheet | | 200 | 24 |
| White (85 Brightness)FSC® | | | | | | | |
| FSC Mix Soft Touch | | | | | | | |
| 111C / 13pt | 26x40 | 3300140 | 444 | Sheet | | 200 | 24 |
| 200C / 24pt | 26x40 | 3305020 | 800 | Sheet | | 100 | 12 |

Key **FSC®** – FSC® Certified  – Renewable Electricity  – Green Seal Certified **PCF** – Processed Chlorine Free
 – Minimum 30% Post Consumer **DC** – Duplex Cover **DTC** – Double Thick Cover **SP** – Skid Packed
WS – Wet Strength **BR** – Vellum Bristol **IND** – Index * – Unwatermarked

