

N touché® papers

TOUCHÉ® Papers can be found in The Design Collection which features iconic Neenah brands.

Features

Benefits

| | |
|---|---|
| Unique soft, matte finish. | Offers understated elegance and sophistication. |
| Beautiful Colors | From Bright White to Black with a rich color palette in between, there is a color for all your communication needs. |
| Two weights to choose from | 13 pt. (111C/300 g/m2) for most every application & 24pt. (200C/541 g/m2) when a stiffer sheet is desired. |
| Accepts offset lithography and specialty printing applications beautifully. | Rest assured your every print application will perform flawlessly. |
| FSC® Certified | Meets the mark of responsible forestry. |

N touché® papers

Paper Specifications - TOUCHÉ® Papers

| Finish | Basis lbs. | Basis g/m ² | Opacity | Caliper | Smoothness |
|------------|---------------|---------------------------|---------|---------|------------|
| Soft Touch | 111C | 300 | 98 | 13 | N/A |
| | 200C | 541 | 99 | 24 | N/A |

- ☐ Opacity specifications are for whites and near whites.
- ☐ Caliper values are approximate as grades run to basis weight and finish.
- ☐ Smoothness is in Sheffield units.

Special Make Minimums

Standard Minimums

| COLOR | BASIS WEIGHT (Standard Colors) | SIZE |
|-------------|-----------------------------------|------------|
| 15,000 lbs. | 20,000 lbs. | 5,000 lbs. |

- * Special colors are subject to inquiry and mill acceptance.
- * Laminated sheets using standard basis weights and colors require 5,000 lbs total minimum with a \$20.00 per cwt upcharge.
- * If special base stock is required, there will be a 20,000 lbs. minimum for special colors. Contact your Neenah Customer Service Representative for assistance.

touché® papers

| Basis/ Caliper | Size | Item # | M wt | Product Type | Shts/ Pack | Shts/ Ctn | Ctns/ Pallet |
|---|-------|----------------|------|-----------------|---------------|--------------|-----------------|
| Black FSC® FSC Mix Soft Touch | | | | | | | |
| 111C / 13pt | 26x40 | 3304940 | 444 | Sheet | | 200 | 24 |
| 200C / 24pt | 26x40 | 3305010 | 800 | Sheet | | 100 | 12 |
| Bright White (91 Brightness) FSC® FSC Mix Soft Touch | | | | | | | |
| 111C / 13pt | 26x40 | 3304027 | 444 | Sheet | | 200 | 24 |
| Burgundy FSC® FSC Mix Soft Touch | | | | | | | |
| 111C / 13pt | 26x40 | 3304540 | 444 | Sheet | | 200 | 24 |
| Concord FSC® FSC Mix Soft Touch | | | | | | | |
| 111C / 13pt | 26x40 | 3300151 | 444 | Sheet | | 200 | 24 |
| Lapis FSC® FSC Mix Soft Touch | | | | | | | |
| 111C / 13pt | 26x40 | 3301240 | 444 | Sheet | | 200 | 24 |
| Mink FSC® FSC Mix Soft Touch | | | | | | | |
| 111C / 13pt | 26x40 | 3302140 | 444 | Sheet | | 200 | 24 |
| Pewter FSC® FSC Mix Soft Touch | | | | | | | |
| 111C / 13pt | 26x40 | 3301940 | 444 | Sheet | | 200 | 24 |
| Scarlet FSC® FSC Mix Soft Touch | | | | | | | |
| 111C / 13pt | 26x40 | 3301740 | 444 | Sheet | | 200 | 24 |
| Slate Blue FSC® FSC Mix Soft Touch | | | | | | | |
| 111C / 13pt | 26x40 | 3304140 | 444 | Sheet | | 200 | 24 |
| White (85 Brightness) FSC® FSC Mix Soft Touch | | | | | | | |
| 111C / 13pt | 26x40 | 3300140 | 444 | Sheet | | 200 | 24 |

touché® papers

| Basis/ Caliper | Size | Item # | M wt | Product Type | Shts/ Pack | Shts/ Ctn | Ctns/ Pallet |
|--|-------|----------------|------|-----------------|---------------|--------------|-----------------|
| White (85 Brightness) Ⓢ FSC® | | | | | | | |
| FSC Mix, 30% Minimum Post-Consumer Recycled Fibers | | | | | | | |
| Soft Touch | | | | | | | |
| 200C / 24pt | 26x40 | 3305020 | 800 | Sheet | | 100 | 12 |

Key FSC® – FSC® Certified  – Renewable Electricity  – Green Seal Certified **PCF** – Processed Chlorine Free
 – Minimum 30% Post Consumer **DC** – Duplex Cover **DTC** – Double Thick Cover **SP** – Skid Packed
WS – Wet Strength **BR** – Vellum Bristol **IND** – Index * – Unwatermarked

