

Nuv/ultra[®] II papers

UV/ULTRA[®] II Translucent Papers can be found in The Design Collection which features iconic Neenah brands.

Features

Benefits

Off-machine transparentizing process.

Assured of excellent printability, press registration and sheet stability against curl.

Excellent formation and incredible transparency.

Limitless graphic opportunities, superior show through.

Available in three basis weights and two whites.

A wide range to fit your every need.

The whitest and brightest translucent available.

Brings a level of quality and class to every project.

Guaranteed for laser printing.

The perfect translucent for desk top publishing.

N uv/ultra[®] II papers

Paper Specifications - UV/ULTRA[®] II Papers

Finish	Basis lbs.	Basis g/m ²	Opacity	Caliper	Smoothness
Smooth	17W	64	39	2.6	160
	28W	105	51	4.4	160
	36W	135	59	5.5	160

- Opacity specifications are for whites and near whites.
- Caliper values are approximate as grades run to basis weight and finish.
- Smoothness is in Sheffield units.

Special Make Minimums

Standard Minimums

COLOR	BASIS WEIGHT (Standard Colors)	SIZE
N/A	*	10,000 lbs.

* Special basis weights are subject to inquiry.

uv/ultra[®] II papers

Basis/ Caliper	Size	Item #	M wt	Product Type	Shts/ Pack	Shts/ Ctn	Ctns/ Pallet
Radiant White (85 Brightness)							
Smooth							
17W / 2.6pt	23x35	02521*	73	Sheet	500	1,500	22
17W / 2.6pt	25x38	02548*	86	Sheet	500	1,500	18
28W / 4.4pt	23x35	02585*	121	Sheet	250	750	20
28W / 4.4pt	25x38	02586*	142	Sheet	250	750	20
36W / 5.5pt	8.5x11	02524*	18	Sheet	250	2,500	32
36W / 5.5pt	23x35	02522*	155	Sheet	250	750	20
36W / 5.5pt	25x38	02523*	183	Sheet	250	500	18
White (78 Brightness)							
Smooth							
17W / 2.6pt	23x35	01256*	73	Sheet	500	1,500	22
17W / 2.6pt	25x38	01254*	86	Sheet	500	1,500	18
28W / 4.4pt	23x35	01264*	121	Sheet	250	750	20
28W / 4.4pt	25x38	01265*	142	Sheet	250	750	20

Key **FSC**[®] – FSC[®] Certified  – Renewable Electricity  – Green Seal Certified **PCF** – Processed Chlorine Free
 – Minimum 30% Post Consumer **DC** – Duplex Cover **DTC** – Double Thick Cover **SP** – Skid Packed
WS – Wet Strength **BR** – Vellum Bristol **IND** – Index * – Unwatermarked

